

# PRICES AND SPECIFICATIONS 2018



PAGE	CONTENTS	PAGE	CONTENTS
2	ACCESSORIES	24	SENGO 275
3	SYSTEM WEIGHT / LIGHTS PACKAGES	24	E-DILLY 275
4	OPTIONS ROAD BIKE	25	CHENOA UNI (E-Bike)
5	MR.T2	26	CHENOA HS (E-Bike)
6	PRIDE	27	KAGU BOSCH (E-Bike)
7	PAVO GRANFONDO DISC	29	E-DILLY TOUR (E-Bike)
8	PAVO GRANFONDO SL	30	E-DILLY CROSS (E-Bike)
9	PAVO GRANFONDO	31	SILKCARBON NEODRIVES (E-Bike)
10	KIARO	32	KAGU (E-Bike)
11	INISSIO GRANFONDO	33	ALULITE (E-Bike)
12	INISSIO CROSSER	34	INISSIO TOUR (Sport)
13	RAZORBLADE 29 SL	35	SILKCARBON (Sport u. Cross)
14	RAZORBLADE 29	36	SILKCARBON (Trekking)
15	RAZORBLADE 275	37	KAGU PURE
16	CIREX 120	38 + 39	KAGU (Trekking)
17	CURE 29	40 + 41	SPOTLIGHT (Trekking)
18	KIBO 275 ALU	42	SPOTLIGHT (Sport u. Cross)
19	RAPCON 140	43 + 44	ALULITE (Trekking)
20	RAPCON 160	45 bis 46	FRAMES and FORKS
21	STEAMER CARBON	47	SIMPLON APPAREL
22	STEAMER ALU	48 bis 56	TECHNICAL DATA
23	STEAMER COMPACT		

Recommended retail price in GBP, incl. VAT, valid in Great Britain only. The prices and specifications are valid from 15.11.2017 and lose their validity with the publication of a new or revised price list. Errors and omissions excepted, subject to modifications and amendments. Subject to price alterations due to drastic exchange rate fluctuations.

## ACCESSORIES 2018

**2018 PRICES IN GBP**

 recommended retail price  
incl. VAT.

<b>BOTTLE CAGES</b> Bottle cages can be ordered with your bike, please pay attention to the below listed limitations	Simplon GRABBER ALU black (assembled)	12,00
	Simplon SIDELOADER ALU black (assembled)	10,00
	Simplon SIDELOADER ALU black + adapter (assembled; Chenoa HS only)	43,00
	Simplon GRABBER CARBON SL (assembled)	48,00

<b>SIMPLON BOTTLES</b> available through your dealer	Simplon T 500, 500ml, transparent with black lid	5,00
	Simplon T 750, 750ml, transparent with black lid	5,00
	Simplon T 750, 750ml, black, MR.T2 Design	5,00

With the exception of the below listed models it is possible to mount 2 bottle cages per frame. On very small frames, especially those with a short seat tube, we recommend the Simplon bottle cage SIDELOADER ALU. With this cage the bottle can be removed to the side.

**MOUNTAINBIKE AND E-MTB**

E-DILLY 275, SENGO 275	no bottle cage possible	
STEAMER CARBON, STEAMER ALU, STEAMER COMPACT	no bottle cage possible	
CIREX 120	2 bottle cages possible, on the seat tube only SIDELOADER with 500ml bottle size L/ XL, only one bottle cage size S/ M	
RAPCON 140, RAPCON 160	1 bottle cage (on downtube)	
On these MTB-Frames the second bottle cage is positioned on the bottom side of the down tube	RAZORBLADE 275 RH XS/M, KIBO 275 ALU, CURE 29 RH M	

**ACTIVE LIFESTYLE**

KAGU Lady, SILKCarbon Lady	1 bottle cage (ontop top tube)	
SPOTLIGHT Lady	1 bottle cage (ontop top tube)	
ALULITE	1 bottle cage (ontop down tube)	

**E-BIKES ACTIVE LIFESTYLE**

E-Bike CHENOA UNI & CHENOA HS	1 bottle cage (for Chenoa HS a adapter is necessary, available through your dealer)	
E-Bike SILKCarbon Neodrives	1 bottle cage (on the rear carrier; a adapter is necessary, available through your dealer)	
E-Bike Kagu Bosch	no bottle cage possible	
E-DILLY TOUR, E-DILLY CROSS	no bottle cage possible	
E-Bike Men KAGU	1 bottle cage (on seat tube)	
E-Bike ALULITE with frame mounted battery	no bottle cage possible	

## MAX. ALLOWED GROSS WEIGHT (Gross weight = rider + baggage + bicycle)

<b>MOUNTAINBIKES</b>	max. 125 kg (from ca. 90kg payload (rider + baggage) possibly increased servicing required)
<b>E - MOUNTAINBIKES</b>	max. 140 kg (from ca. 90kg payload (rider + baggage) possibly increased servicing required)
<b>ROADBIKES AND SPORTBIKES</b>	max. 125 kg (from ca. 80kg payload (rider + baggage) possibly increased servicing required)
<b>ACTIVE LIFESTYLE</b> (SILKCARBON, SPOTLIGHT, ALULITE)	max. 125 kg (from ca. 90kg payload (rider + baggage) possibly increased servicing required)
<b>KAGU, KAGU BOSCH AND KAGU E-BIKE</b>	max. 160kg (from ca. 90kg payload (rider + baggage) possibly increased servicing required)
<b>E - BIKES ACTIVE LIFESTYLE</b> (CHENOA HS, SILKCARBON NEODRIVES, ALULITE)	max. 140 kg (from ca. 90kg payload (rider + baggage) possibly increased servicing required)
<b>E - BIKES ACTIVE LIFESTYLE</b> (CHENOA UNI)	max. 125 kg (from ca. 90kg payload (rider + baggage) possibly increased servicing required)
<b>OTHER BIKES</b>	max. 125 kg (from ca. 90kg payload (rider + baggage) possibly increased servicing required)
<b>WHEELSETS MAVIC</b>	MAVIC recommends max. 120 kg (Gross weight = rider + baggage + bicycle)
<b>WHEELSETS DT SWISS</b>	DT SWISS recommends max. 110 kg (Gross weight = rider + baggage + bicycle)
<b>WHEELSETS ZIPP</b>	ZIPP recommends max. 113 kg (rider weight)

## LIGHTS PACKAGES FOR ACTIVE LIFESTYLE BIKES

<b>LIGHTS PACKAGE 1</b>	Hub dynamo Shimano DH-C3000, headlight Busch & Müller Lumotec UPP T Senso Plus 30 LUX, LED rear light integrated in carrier
<b>LIGHTS PACKAGE X1</b>	Hub dynamo Shimano DH-C3000, headlight Busch & Müller Lumotec IQ-X 100 Lux, LED rear light integrated in carrier
<b>LIGHTS PACKAGE 2</b>	Hub dynamo Shimano DH-3N72, headlight Busch & Müller Lumotec IQ2 EYC T Senso Plus 50 LUX, LED rear light integrated in carrier
<b>LIGHTS PACKAGE X2</b>	Hub dynamo Shimano DH-3N72, headlight Busch & Müller Lumotec IQ-X 100 Lux, LED rear light integrated in carrier
<b>LIGHTS PACKAGE 4</b>	Hub dynamo Shimano DH-3D72 DISC, headlight Busch & Müller Lumotec IQ2 EYC T Senso Plus 50 LUX, LED rear light integrated in carrier
<b>LIGHTS PACKAGE X4</b>	Hub dynamo Shimano DH-3D72 DISC, headlight Busch & Müller Lumotec IQ-X 100 Lux, LED rear light integrated in carrier

# OPTIONS ROAD BIKE

## STANDARD COMPONENTS

## OPTIONAL COMPONENTS (no additional charge)

### COCKPIT

Stem Simplon ZERO	100 x -7° Flip-/Flop Design invertible to +7°	80 x -7°, 90 x -7°, 110 x -7°, 120 x -7° Flip-/Flop Design invertible to +7°
Stem Simplon OSX	90 x -8° Inissio Crosser 100 x -8° Kiaro	Inissio Crosser 100 x -8°, 120 x -8° Kiaro 90 x -8°, 120 x -8°
Handlebar width Simplon ERG Carbon Road Bar (center / center)	42 cm	38 cm, 40 cm, 44 cm
Handlebar width Simplon ZERO Alu Road Bar (center / center)		
Carbonspacer height between headset and stem	30 mm (except PRIDE) (Kiaro size 61 max. 20mm, Inissio size 62 max. 10mm possible) PRIDE: 0 mm	0 mm, 10 mm, 20 mm (except PRIDE) PRIDE: 10 mm, 20 mm, 30 mm

### CRANKSET

DURA ACE, ULTEGRA	50/34 172,5 mm	50/34 170mm; 50/34 175mm; 53/39 172,5; 53/39 175,mm
105, FORCE	50/34 172,5 mm	50/34 170mm; 50/34 175mm Notice: Option not available with Shimano 105, only 172,mm available!
RED eTAP, SUPER RECORD	52/36 172,5 mm	52/36 170mm; 52/36 175mm
INISSIO CROSSER	46/36 175 mm	no option available

### CASSETTE

Cassette Shimano 105	11-28 T	11-32 T
Cassette Shimano ULTEGRA	11-30 T	11-25 T, 11-34 T
Cassette Shimano DURA ACE	11-30 T (MR.T2 11-25 T)	11-25 T (MR.T2 11-30 T)
Cassette Sram FORCE	11-28 T	11-32 T
Cassette Sram RED eTap	11-28 T	no option available
Cassette Campagnolo SUPER RECORD	11-32 T	no option available

MODEL	MR.T <sub>2</sub>	ULTEGRA DI-2	DURA ACE DI-2	RED eTAP
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	6149	7649	7299
COLOUR / SIZE	Matt black/Yellow / XS, S, M, L	•	•	•
WEIGHT (KG)in frame size M Weight tolerance +/- 3%	Weight Standard version	8,6	8,45	8,2
	Weight with optional Wheelset DT Swiss Carbon PRC 1400 Spline Clincher Discbrake	8,15	8,0	7,75
FRAME	HPMC HOT MELT CARBON, Double Fusion Technology, integr. steering stop limit, compatible with Shimano Di-2 Systems and mechanical Groupsets	•	•	•
FORK	Simplon MR.T2, HPMC HOT MELT CARBON, I-CONE	•	•	•
HEADSET	FSA 1-1/8" / 1-1/4", incl. Special tool for stem assembly	•	•	•
SADDLE	Selle Italia SLR TRI black	•	•	•
	Prologo T-GALE PAS CPC black	146	146	146
SEATPOST	Simplon MR.T2, HOT MELT CARBON, incl. Di-2 Battery mount	•	•	•
HANDLEBAR BASE	Simplon T2 BAR HOT MELT CARBON	•	•	•
AERO BARS	Simplon T2 S-Extensions, HOT MELT CARBON, Multi Adjustment System	•	•	•
STEM	Simplon T2 STEM, Aluminum 6061-T6, Multi Adjustment System, with opening for Di-2 Battery-check	•	•	•
BRAKE	Fouriers IS-01 Powerbrake fully integrated, Easy Adjust Sytem	•	•	•
GROUPSET	Shimano ULTEGRA Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	•	—	—
	Shimano DURA ACE Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	•	—
	SRAM RED eTAP, Brakelever BL990, 2x Blips for Basebar, 2x Clics Barendshifter, Crankset SEMI-COMPACT (52/36 T)	—	—	•
CASSETTE	11 - 25	•	•	—
	11 - 28	—	—	•
	11 - 30	◦	◦	—
	11 - 34	◦	—	—
WHEELSET	Mavic AKSIUM ELITE incl. Tyre Mavic YKSION ELITE GUARD 700x25c	•	•	•
	Mavic KSYRIUM Black incl. Tyre Mavic YKSION ELITE 700x25c	177	177	177
	Mavic KSYRIUM ELITE Black incl. Tyre Mavic YKSION PRO 700x25c	359	359	359
	DT Swiss PR1400 DiCut OXIC 21 incl. Tyre Schwalbe ONE EVO 700x25c	683	683	683
	DT Swiss PR1400 DiCut OXIC 21 incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	714	714	714
	DT Swiss PRC1400 Spline 35 incl. Tyre Schwalbe ONE EVO 700x25c	1229	1229	1229
	DT Swiss PRC1400 Spline 35 incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	1260	1260	1260
ZIPP 808 FIRECREST CLINCHER 77/177 incl. Tyre Schwalbe ONE EVO 700x25c	2029	2029	2029	

for additional options go to page 4

• Standard / ◦ Option without upcharge / — not available

MODEL	PRIDE	ULTEGRA	ULTEGRA DI-2	DURA ACE	DURA ACE DI-2	RED eTAP	SUPER RECORD
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	4949	5849	6299	7749	6949	6399
COLOUR / SIZE	Carbon Matt/ Black Glossy, Graphite Grey Glossy/ Luminous Yellow Glossy / 46, 49, 52, 55, 58, 60 cm	•	•	•	•	•	•
WEIGHT (KG) in frame size 55cm	Weight Standard version	7,5	7,45	7,2	7,1	7,05	7,1
Weight tolerance +/- 3%	Weight with optional Wheelset DT Swiss Carbon PRC 1400 Spline Clincher Discbrake	7,3	7,25	7,0	6,9	6,85	6,9
FRAME	HPMC HOT MELT CARBON, Double Fusion Technology, integr. steering stop limit, compatible with Shimano Di-2 Systems and mechanical Groupsets	•	•	•	•	•	•
FORK	Simplon PRIDE, HPMC HOT MELT CARBON, I-CONE +	•	•	•	•	•	•
HEADSET	ACROS for PRIDE	•	•	•	•	•	•
SADDLE	Selle Italia SLR FLOW black	•	•	•	•	•	•
	Selle Italia SLR KIT CARBONIO FLOW black	68	68	68	68	68	68
	Selle Italia DIVA FLOW black	minus 32	minus 32	minus 32	minus 32	minus 32	minus 32
	Prologo NAGO EVO NACK CPC black	173	173	173	173	173	173
SEATPOST	Simplon PRIDE, HOT MELT CARBON	•	•	•	•	•	•
HANDLEBAR-STEM COMBINATION	Simplon PRIDE PRO: 100mm long x 420mm wide	•	•	•	•	•	•
	Simplon PRIDE PRO: 100x400 / 110x400 / 110x420 / 110x440 / 120x420 / 120x440	o	o	o	o	o	o
	Simplon PRIDE MARATHON: 90x400 / 90x420 / 100x400 / 100x420 / 100x440 / 110x420 / 110x440	o	o	o	o	o	o
OR: CONVENTIONAL HANDLEBAR + STEM (INCL. SPECIAL ADAPTER)	Simplon ERG CARBON: 38cm / 40cm / 42cm / 44cm	minus 181	minus 181	minus 181	minus 181	minus 181	minus 181
	Simplon ZERO, -7°: 80mm / 90mm / 100mm / 110mm / 120mm	o	o	o	o	o	o
GROUPSET	Shimano ULTEGRA, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	•	—	—	—	—	—
	Shimano ULTEGRA Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	•	—	—	—	—
	Shimano DURA ACE, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	•	—	—	—
	Shimano DURA ACE Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	—	•	—	—
	SRAM RED eTAP, SEMI-COMPACT (52/36 T)	—	—	—	—	•	—
	Campagnolo Super Record, Crankset H11 Semi-Compact (52/36 T)	—	—	—	—	—	•
CASSETTE	11 - 25	o	o	o	o	—	—
	11 - 28	—	—	—	—	•	—
	11 - 30	•	•	•	•	—	—
	11 - 32	—	—	—	—	—	•
	11 - 34	o	o	—	—	—	—
DISC BRAKES/ SHIFT & BRAKELEVER	Shimano Shift-/Brakelever ST-R8020, Discbrake Flatmount BR-R8070, Rotor RT-800 Ø160/140	•	—	—	—	—	—
	Shimano Shift-/Brakelever ST-R8070, Discbrake Flatmount BR-R8070, Rotor RT-800 Ø160/140	—	•	—	—	—	—
	Shimano Shift-/Brakelever ST-R9120, Discbrake Flatmount BR-R9170, Rotor RT-900 Ø160/140	—	—	•	—	—	—
	Shimano Shift-/Brakelever ST-R9120, Discbrake Flatmount BR-R9170, Rotor RT-900 Ø160/140	—	—	—	•	—	—
	SRAM Shift-/Brakelever eTAP HRD Disc, Discbrake Flatmount, Rotor Centerline Ti Ø160/160	—	—	—	—	•	—
	CAMPAGNOLO Shift-/Brakelever H11, Discbrake Flatmount, Rotor AFS Ø160/140	—	—	—	—	—	•
WHEELSET	DT Swiss P1800 Spline 23 db incl. Tyre Schwalbe ONE EVO 700x25c	•	•	•	•	•	•
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe ONE EVO 700x25c	164	164	164	164	164	164
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	196	196	196	196	196	196
	DT Swiss PR1400 DiCut 21 db incl. Tyre Schwalbe ONE EVO 700x25c	455	455	455	455	455	455
	DT Swiss PR1400 DiCut 21 db incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	487	487	487	487	487	487
	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe ONE EVO 700x25c	1092	1092	1092	1092	1092	1092
	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	1124	1124	1124	1124	1124	1124
	DT Swiss ARC1100 DiCut 62 db incl. Tyre Schwalbe ONE EVO 700x25c	1320	1320	1320	1320	1320	1320
DT Swiss ARC1100 DiCut 62 db incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	1351	1351	1351	1351	1351	1351	

for additional options go to page 4

• Standard / o Option without upcharge / — not available

MODEL	PAVO GRANFONDO DISC	ULTEGRA	ULTEGRA DI-2	DURA ACE	DURA ACE DI-2	RED eTAP	SUPER RECORD
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3999	4899	5349	6599	5999	5449
COLOUR / SIZE	Galaxy Blue Glossy/ Cosmic Blue Matt, Carbon Matt/ Pulsar Red Glossy / 46, 49, 52, 55, 58, 61 cm	•	•	•	•	•	•
WEIGHT (KG)in frame size 55cm	Weight Standard version	7,4	7,3	7,15	7,0	6,95	7,0
Weight tolerance +/- 3%	Weight with optional Wheelset DT Swiss Carbon PRC 1400 Spline Clincher Discbrake	7,2	7,1	6,95	6,8	6,75	6,8
FRAME	HOT MELT CARBON, Triple Fusion Technology, 142 x 12 mm Thru-axle, Disc Brake Flatmount, comfort-oriented	•	•	•	•	•	•
FORK	Simplon Pavo GF Disc, HOT MELT CARBON, I-CONE, Disc Brake Flatmount	•	•	•	•	•	•
HEADSET	Acros AiX-324 (IS42/28.6 x IS47/33), 30mm Spacer Spacer (go to page 4 for additional Info)	•	•	•	•	•	•
SADDLE	Selle Italia SLR FLOW black	•	•	•	•	•	•
	Selle Italia SLR KIT CARBONIO FLOW black	68	68	68	68	68	68
	Selle Italia DIVA FLOW black	minus 32	minus 32	minus 32	minus 32	minus 32	minus 32
	Prologo NAGO EVO NACK CPC black	173	173	173	173	173	173
SEATPOST	Simplon PAVO GF, HOT MELT CARBON, Flatback Design	•	•	•	•	•	•
	Simplon PAVO GF, HOT MELT CARBON, ZERO Setback	◦	◦	◦	◦	◦	◦
HANDLEBAR	Simplon ERG CARBON, Standard on all frame sizes 42cm (Optional: 38, 40, 44cm)	•	•	•	•	•	•
STEM	Simplon ZERO, Standard on all frame sizes 100 x -7° (Optional: 80, 90, 100, 110, 120mm)	•	•	•	•	•	•
GROUPSET	Shimano ULTEGRA, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	•	—	—	—	—	—
	Shimano ULTEGRA Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	•	—	—	—	—
	Shimano DURA ACE, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	•	—	—	—
	Shimano DURA ACE Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	—	•	—	—
	SRAM RED eTAP, SEMI-COMPACT (52/36 T)	—	—	—	—	•	—
	Campagnolo Super Record, Crankset H11 Semi-Compact (52/36 T)	—	—	—	—	—	•
CASSETTE	11 - 25	◦	◦	◦	◦	—	—
	11 - 28	—	—	—	—	•	—
	11 - 30	•	•	•	•	—	—
	11 - 32	—	—	—	—	—	•
	11 - 34	◦	◦	—	—	—	—
	DISC BRAKES/ SHIFT & BRAKELEVER	Shimano Shift-/Brakelever ST-R8020, Discbrake Flatmount BR-R8070, Rotor RT-800 Ø160/140	•	—	—	—	—
Shimano Shift-/Brakelever ST-R8070, Discbrake Flatmount BR-R8070, Rotor RT-800 Ø160/140		—	•	—	—	—	—
Shimano Shift-/Brakelever ST-R9120, Discbrake Flatmount BR-R9170, Rotor RT-900 Ø160/140		—	—	•	—	—	—
Shimano Shift-/Brakelever ST-R9120, Discbrake Flatmount BR-R9170, Rotor RT-900 Ø160/140		—	—	—	•	—	—
SRAM Shift-/Brakelever eTAP HRD Disc, Discbrake Flatmount, Rotor Centerline Ti Ø160/160		—	—	—	—	•	—
CAMPAGNOLO Shift-/Brakelever H11, Discbrake Flatmount, Rotor AFS Ø160/140		—	—	—	—	—	•
WHEELSET	DT Swiss P1800 Spline 23 db incl. Tyre Schwalbe ONE EVO 700x25c	•	•	•	•	•	•
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe ONE EVO 700x25c	164	164	164	164	164	164
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	196	196	196	196	196	196
	DT Swiss PR1400 DiCut 21 db incl. Tyre Schwalbe ONE EVO 700x25c	455	455	455	455	455	455
	DT Swiss PR1400 DiCut 21 db incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	487	487	487	487	487	487
	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe ONE EVO 700x25c	1092	1092	1092	1092	1092	1092
	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	1124	1124	1124	1124	1124	1124
	DT Swiss ARC1100 DiCut 62 db incl. Tyre Schwalbe ONE EVO 700x25c	1320	1320	1320	1320	1320	1320
	DT Swiss ARC1100 DiCut 62 db incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	1351	1351	1351	1351	1351	1351

MODEL	PAVO GRANFONDO SL	ULTEGRA	ULTEGRA DI-2	DURA ACE	DURA ACE DI-2
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3849	4649	4999	6399
COLOUR / SIZE	Carbon/Yellow Matt / 49, 52, 55, 58 cm	•	•	•	•
WEIGHT (KG) in frame size 55cm Weight tolerance +/- 3%	Weight Standard version	7,15	7,1	6,85	6,8
	Weight with optional Wheelset DT Swiss Carbon PRC 1400 Spline Clincher Discbrake	6,8	6,75	6,5	6,45
FRAME	HPMC HOT MELT CARBON, SL-Layup with high modular fibre mix, Double Fusion Technology, comfort-oriented GEN 2, integrated Seatpost clamp	•	•	•	•
FORK	Simplon PAVO GF, HOT MELT CARBON, I-CONE	•	•	•	•
HEADSET	Acros AiX-324 (IS42/28.6 x IS47/33), 30mm Spacer Spacer (go to page 4 for additional Info)	•	•	•	•
	Selle Italia SLR KIT CARBONIO FLOW black	•	•	•	•
SADDLE	Selle Italia DIVA FLOW black	minus 91	minus 91	minus 91	minus 91
	Prologo NAGO EVO NACK CPC black	105	105	105	105
SEATPOST	Simplon PAVO GF, HOT MELT CARBON, Flatback Design	•	•	•	•
	Simplon PAVO GF, HOT MELT CARBON, ZERO Setback	o	o	o	o
HANDLEBAR	Simplon ERG CARBON, Standard on all frame sizes 42cm (Optional: 38, 40, 44cm)	•	•	•	•
STEM	Simplon ZERO, Standard on all frame sizes 100 x -7° (Optional: 80, 90, 100, 110, 120mm)	•	•	•	•
	Shimano ULTEGRA, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	•	—	—	—
GROUPSET	Shimano ULTEGRA Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	•	—	—
	Shimano DURA ACE, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	•	—
	Shimano DURA ACE Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	—	•
	11 - 25	o	o	o	o
CASSETTE	11 - 30	•	•	•	•
	11 - 34	o	o	—	—
	Mavic KSYRIUM Black incl. Tyre Mavic YKSION ELITE 700x25c	•	•	•	•
	Mavic KSYRIUM ELITE Black incl. Tyre Mavic YKSION PRO 700x25c	182	182	182	182
WHEELSET	DT Swiss PR1400 DiCut OXIC 21 incl. Tyre Schwalbe ONE EVO 700x25c	505	505	505	505
	DT Swiss PR1400 DiCut OXIC 21 incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	537	537	537	537
	DT Swiss PRC1400 Spline 35 incl. Tyre Schwalbe ONE EVO 700x25c	1051	1051	1051	1051
	DT Swiss PRC1400 Spline 35 incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included) included	1083	1083	1083	1083



MODEL	PAVO GRANFONDO	ULTEGRA	ULTEGRA DI-2	DURA ACE	DURA ACE DI-2
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	3449	4249	4499	5899
<b>COLOUR / SIZE</b>	Carbon/Red Matt, Titan/Blue Matt / 46, 49, 52, 55, 58, 61cm	•	•	•	•
<b>WEIGHT (KG)</b> in frame size 55cm Weight tolerance +/- 3%	Weight Standard version	7,5	7,4	7,2	7,1
	Weight with optional Wheelset DT Swiss Carbon PRC 1400 Spline Clincher Discbrake	7,15	7,05	6,85	6,75
<b>FRAME</b>	HPMC HOT MELT CARBON, Double Fusion Technology, comfort-oriented GEN 2, integrated Seatpost clamp	•	•	•	•
<b>FORK</b>	Simplon PAVO GF, HOT MELT CARBON, I-CONE	•	•	•	•
<b>HEADSET</b>	Acros AiX-324 (IS42/28.6 x IS47/33), 30mm Spacer Spacer (go to page 4 for additional Info)	•	•	•	•
	Selle Italia SLR FLOW black	•	•	•	•
<b>SADDLE</b>	Selle Italia SLR KIT CARBONIO FLOW black	68	68	68	68
	Selle Italia DIVA FLOW black	minus 32	minus 32	minus 32	minus 32
	Prologo NAGO EVO NACK CPC black	173	173	173	173
<b>SEATPOST</b>	Simplon PAVO GF, HOT MELT CARBON, Flatback Design	•	•	•	•
	Simplon PAVO GF, HOT MELT CARBON, ZERO Setback	o	o	o	o
<b>HANDLEBAR</b>	Simplon ERG CARBON, Standard on all frame sizes 42cm (Optional: 38, 40, 44cm)	•	•	•	•
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 100 x -7° (Optional: 80, 90, 100, 110, 120mm)	•	•	•	•
	Shimano ULTEGRA, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	•	—	—	—
<b>GROUPSET</b>	Shimano ULTEGRA Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	•	—	—
	Shimano DURA ACE, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	•	—
	Shimano DURA ACE Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	—	•
<b>CASSETTE</b>	11 - 25	o	o	o	o
	11 - 30	•	•	•	•
	11 - 34	o	o	—	—
	Mavic KSYRIUM Black incl. Tyre Mavic YKSION ELITE 700x25c	•	•	•	•
<b>WHEELSET</b>	Mavic KSYRIUM ELITE Black incl. Tyre Mavic YKSION PRO 700x25c	182	182	182	182
	DT Swiss PR1400 DiCut OXIC 21 incl. Tyre Schwalbe ONE EVO 700x25c	505	505	505	505
	DT Swiss PR1400 DiCut OXIC 21 incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	537	537	537	537
	DT Swiss PRC1400 Spline 35 incl. Tyre Schwalbe ONE EVO 700x25c	1051	1051	1051	1051
	DT Swiss PRC1400 Spline 35 incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included) included	1083	1083	1083	1083

MODEL	KIARO	105	ULTEGRA	ULTEGRA DI-2	FORCE
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	2249	2899	3649	2899
<b>COLOUR / SIZE</b>	Pearlwhite Matt, Carbon/ Red Matt / 47, 51, 55, 58, 62 cm	•	•	•	•
<b>WEIGHT (KG)</b> in frame size 55cm Weight tolerance +/- 3%	Weight Standard version	7,85	7,7	7,65	7,45
	Weight with optional Wheelset DT Swiss Carbon PRC 1400 Spline Clincher Discbrake	7,4	7,2	7,15	7,0
<b>FRAME</b>	HOT MELT CARBON, Triple Fusion Technology, comfort-oriented	•	•	•	•
<b>FORK</b>	Simplon S 7.1, CARBON	•	•	•	•
<b>HEADSET</b>	Acros AiX-26 (IS42/28.6 x IS47/33), 30mm Spacer Spacer (go to page 4 for additional Info)	•	•	•	•
	Selle Italia SLS FLOW black	•	•	•	•
<b>SADDLE</b>	Selle Italia SLR FLOW black	41	41	41	41
	Selle Italia DIVA FLOW black	◦	◦	◦	◦
<b>SEATPOST</b>	Simplon MONO ROD SL Carbon, 27.2x320mm, with adapter for conventional rails	•	•	•	•
<b>HANDLEBAR</b>	Simplon ZERO ALU Standard on all frame sizes 42cm (Optional: 38cm, 40cm, 44cm)	•	•	•	•
	Simplon ERG CARBON (Optional: 38, 40, 42, 44cm)	59	59	59	59
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 100 x -7° (OptionenOptional: 80, 90, 100, 110, 120mm)		•	•	•
	Shimano 105, Crankset COMPACT (50/34 T)	•			
<b>GROUPSET</b>	Shimano ULTEGRA, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	•	—	—
	Shimano ULTEGRA Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	•	—
	Sram FORCE 22 COMPACT (50/34 T)	—	—	—	•
	11 - 25	—	◦	◦	◦
<b>CASSETTE</b>	11 - 28	•	—	—	—
	11 - 30	—	•	•	•
	11 - 32	◦	—	—	—
	11 - 34	—	◦	◦	—
	Mavic AKSIUM ELITE incl. Tyre Mavic YKSION ELITE GUARD 700x25c	•	•	•	•
<b>WHEELSET</b>	Mavic KSYRIUM Black incl. Tyre Mavic YKSION ELITE 700x25c	177	177	177	177
	Mavic KSYRIUM ELITE Black incl. Tyre Mavic YKSION PRO 700x25c	359	359	359	359
	DT Swiss PR1400 DiCut OXIC 21 incl. Tyre Schwalbe ONE EVO 700x25c	683	683	683	683
	DT Swiss PR1400 DiCut OXIC 21 incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	714	714	714	714
	DT Swiss PRC1400 Spline 35 incl. Tyre Schwalbe ONE EVO 700x25c	1229	1229	1229	1229
	DT Swiss PRC1400 Spline 35 incl. Tyre Schwalbe PRO ONE 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included) included)	1260	1260	1260	1260

MODEL	INISSIO GRANFONDO	105	ULTEGRA	ULTEGRA DI-2	DURA ACE	DURA ACE DI-2
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	3199	3799	4599	4999	6199
<b>COLOUR / SIZE</b>	Rosso, Carbon Matt / 47, 51, 55, 58, 62 cm	•	•	•	•	•
<b>WEIGHT (KG)</b> in frame size 55cm	Weight Standard version	7,95	7,65	7,55	7,4	7,25
Weight tolerance +/- 3%	Weight with optional Wheelset DT Swiss Carbon PRC 1400 Spline Clincher Discbrake	7,75	7,45	7,35	7,2	7,05
<b>FRAME</b>	HOT MELT CARBON, Triple Fusion Technology, 142 x 12 mm Thru-axle, Disc Brake Flatmount, comfort-oriented	•	•	•	•	•
<b>FORK</b>	Simplon INISSIO, HOT MELT CARBON, I-CONE, Disc Brake Direct	•	•	•	•	•
<b>HEADSET</b>	Acros AiX-324 (IS42/28.6 x IS47/33), 30mm Spacer Spacer (go to page 4 for additional Info)	•	•	•	•	•
<b>SADDLE</b>	Selle Italia SLS FLOW black	•	•	•	•	•
	Selle Italia SLR FLOW black	41	41	41	41	41
	Selle Italia DIVA FLOW black	◦	◦	◦	◦	◦
<b>SEATPOST</b>	Simplon MONO ROD SL Carbon, 27.2x320mm, with adapter for conventional rails	•	•	•	•	•
<b>HANDLEBAR</b>	Simplon ERG CARBON, Standard on all frame sizes 42cm (Optional: 38, 40, 44cm)	•	•	•	•	•
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 100 x -7° (Optional: 80, 90, 100, 110, 120mm)	•	•	•	•	•
<b>GROUPSET</b>	Shimano 105, Crankset COMPACT (50/34 T)	•	—	—	—	—
	Shimano ULTEGRA, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	•	—	—	—
	Shimano ULTEGRA Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	•	—	—
	Shimano DURA ACE, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	—	•	—
	Shimano DURA ACE Di-2, Crankset COMPACT (50/34 T) or FULL SIZE (53/39 T)	—	—	—	—	•
<b>CASSETTE</b>	11 - 25	—	◦	◦	◦	◦
	11 - 28	•	—	—	—	—
	11 - 30	—	•	•	•	•
	11 - 32	◦	—	—	—	—
	11 - 34	—	◦	◦	—	—
<b>DISC BRAKES/ SHIFT &amp; BRAKELEVER</b>	Shimano Shift-/Brakelever ST-RS685, Discbrake BR-RS785, Rotor RT-800 Ø160/140	•	—	—	—	—
	Shimano Shift-/Brakelever ST-R8020, Discbrake Flatmount BR-R8070, Rotor RT-800 Ø160/140	—	•	—	—	—
	Shimano Shift-/Brakelever ST-R8070, Discbrake Flatmount BR-R8070, Rotor RT-800 Ø160/140	—	—	•	—	—
	Shimano Shift-/Brakelever ST-R9120, Discbrake Flatmount BR-R9170, Rotor RT-900 Ø160/140	—	—	—	•	—
	Shimano Shift-/Brakelever ST-R9120, Discbrake Flatmount BR-R9170, Rotor RT-900 Ø160/140	—	—	—	—	•
<b>WHEELSET</b>	DT Swiss P1800 Spline 23 db incl. Tyre Schwalbe ONE EVO 700x25c	•	•	•	•	•
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe ONE EVO 700x25c	164	164	164	164	164
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe ONE EVO 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	196	196	196	196	196
	DT Swiss PR1400 DiCut OXIC 21 db incl. Tyre Schwalbe ONE EVO 700x25c	455	455	455	455	455
	DT Swiss PR1400 DiCut OXIC 21 db incl. Tyre Schwalbe ONE EVO 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	487	487	487	487	487
	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe ONE EVO 700x25c	1092	1092	1092	1092	1092
<b>MISC</b>	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe ONE EVO 700x25c Tubeless (Schwalbe Doc Blue mounting fluid included)	1124	1124	1124	1124	1124
	Mudguards SKS CAB 45mm	32	32	32	32	32
	Carrier Tubus FLY (maximum load 12kg)	68	68	68	68	68

MODEL	INISSIO CROSSER	CROSSER	CROSSER DI-2
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	3599	4399
<b>COLOUR / SIZE</b>	Rosso, Carbon Matt / 47, 51, 55, 58, 62 cm	•	•
<b>WEIGHT (KG)</b> in frame size 55cm	Weight Standard version	7,7	7,55
Weight tolerance +/- 3%	Weight with optional Wheelset DT Swiss Carbon PRC 1400 Spline Clincher Discbrake	7,5	7,35
<b>FRAME</b>	HOT MELT CARBON, Triple Fusion Technology, 142 x 12 mm Thru-axle, Disc Brake Flatmount, comfort-oriented	•	•
<b>FORK</b>	Simplon INISSIO, HOT MELT CARBON, I-CONE, Disc Brake Direct	•	•
<b>HEADSET</b>	Acros AiX-324 (IS42/28.6 x IS47/33), 30mm Spacer Spacer (go to page 4 for additional Info)	•	•
<b>SADDLE</b>	Selle Italia SLS FLOW black	•	•
	Selle Italia SLR FLOW black	41	41
	Selle Italia DIVA FLOW black	◦	◦
<b>SEATPOST</b>	Simplon MONO ROD SL Carbon, 27.2x320mm, with adapter for conventional rails	•	•
<b>HANDLEBAR</b>	Simplon ZERO ALU Standard on all frame sizes 42cm (Optional: 38cm, 40cm, 44cm)	•	•
	Simplon ERG CARBON (Optional: 38, 40, 42, 44cm)	59	59
<b>STEM</b>	Simplon OSX, Standard on all frame sizes 90 x -8° (Optional: 100, 120mm)	•	•
<b>GROUPSET</b>	Shimano ULTEGRA, Crankset COMPACT 46/36 T 175mm (no other lengths available)	•	—
	Shimano ULTEGRA DI2, Crankset COMPACT 46/36 T 175mm (no other lengths available)	—	•
<b>CASSETTE</b>	11 - 25	◦	◦
	11 - 30	•	•
	11 - 34	◦	◦
<b>DISC BRAKES/ SHIFT &amp; BRAKELEVER</b>	Shimano Shift-/Brakelever ST-R8020, Discbrake Flatmount BR-R8070, Rotor RT-800 Ø160/140	•	—
	Shimano Shift-/Brakelever ST-R8070, Discbrake Flatmount BR-R8070, Rotor RT-800 Ø160/140	—	•
<b>WHEELSET</b>	DT Swiss P1800 Spline 23 db incl. Tyre Schwalbe X-ONE 33x622	•	•
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe X-ONE 33x622	164	164
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe X-ONE 33x622 Tubeless (Schwalbe Doc Blue mounting fluid included)	196	196
	DT Swiss PR1400 DiCut OXIC 21 db incl. Tyre Schwalbe X-ONE 33x622	455	455
	DT Swiss PR1400 DiCut OXIC 21 db incl. Tyre Schwalbe X-ONE 33x622 Tubeless (Schwalbe Doc Blue mounting fluid included)	487	487
	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe X-ONE 33x622	1092	1092
	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe X-ONE 33x622 Tubeless (Schwalbe Doc Blue mounting fluid included)	1124	1124

MODEL	RAZORBLADE 29 SL	GX1 EAGLE	XT-22	XT-22 DI2	XO1 EAGLE	XTR-22
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3749	4199	5199	4999	5499
COLOUR / SIZE	Carbon/Yellow Matt / M, L, XL	•	•	•	•	•
WEIGHT (KG) in frame size L Weight tolerance +/- 3%	Weight Standard version	9,75	10,1	10,1	9,5	9,6
	Weight with optional Fork Simplon XC-9, Wheelset DT Swiss XRC1200	8,65	9,0	9,0	8,4	8,5
	Weight with optional Fork Simplon XC-9, Brakes Magura MT-8	8,55	8,95	8,95	8,35	
	Weight with optional Fork Simplon XC-9, Wheelset DT Swiss XRC1200, Bremsen Magura MT-8	8,4	8,8	8,85	8,2	
FRAME	HPMC HOT MELT CARBON, SL-Layout with high modular fibre mix , Double Fusion Technologie, 142 x 12 mm Thru-axle	•	•	•	•	•
FORK	Rock Shox REBA RL 29", 100mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	•	•	•	•	•
	Rock Shox SID RL 29", 100mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	64	64	64	64	64
	Fox 32 STEPCAST 29" PERFORMANCE ELITE, 100mm, 1.5 Taper, 15QR, 3-Position Remote, black matt	364	364	364	364	364
	Simplon XC-9 full carbon RIDGID FORK, 1.5 Taper, 15QR, black matt	minus 68	minus 68	minus 68	minus 68	minus 68
HEADSET	Acros AZX 219 BLOCKLOCK (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•
SADDLE	Selle Italia SLR X-Cross FLOW black	•	•	•	•	•
	Selle Italia DIVA FLOW black	minus 17	minus 17	minus 17	minus 17	minus 17
SEATPOST	Simplon CARBON ROD SL, 27.2x400mm, 15mm setback	•	•	•	•	•
	Kindshock LEV Integra 272, 27.2x410mm, 100mm travel	278	278	278	278	278
HANDLEBAR	Simplon CARBON BAR 700	•	•	•	•	•
	Simplon CARBON BAR 640 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	o	o	o	o	o
STEM	Simplon ZERO, Standard on all frame sizes 80mm x -17° (Optional: 100 x -17°, 80 x -7°, 90 x -7°, 100 x -7°)	•	•	•	•	•
CRANKSET SHIFTLEVER REAR DERAILLEUR FRONT DERAILLEUR CASSETTE CHAIN	Sram FC GX1 Eagle 32 T 175mm / Sram Trigger GX1 Eagle 12-gears / Sram RD GX1 Eagle / --- / Sram XG-1275 10-50 / Sram GX1 Eagle	•	—	—	—	—
	Shimano Deore XT 36/26 175mm / Deore XT I-Spec II 22 gears / Deore XT 22 gears / Deore XT / Deore XT 11-42 / Shimano CN-HG701	—	•	—	—	—
	Shimano Deore XT 36/26 175mm / Deore XT Di2 22 gears / Deore XT Di2 22 gears / Deore XT Di2 / Deore XT 11-42 / Shimano CN-HG701	—	—	•	—	—
	Sram FC XO1 Eagle Carbon 32 T 175mm / Sram Trigger XO 1 Eagle 12-gears / Sram RD XO1 Eagle / --- / Sram XG-1295 10-50 / Sram XO1 Eagle	—	—	—	•	—
	Shimano XTR M9020, 36/26 175mm / Shimano XTR I-Spec II 22-gears / Shimano XTR / Shimano XTR / Shimano XTR 11-40 / Shimano XTR	—	—	—	—	•
BRAKES	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	•	•	•	•
	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø180/180	177	•	•	•	—
	Shimano XTR M9000 RACE, Rotor RT-86 Ø180/160	—	—	—	—	•
	Magura MT-8, Rotor Ø180/180	255	77	77	77	—
WHEELSET	DT Swiss XM 1501 SPLINE 29, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25" when GX1/XO1: with XD Driver	•	•	•	•	•
	DT Swiss XRC 1200 SPLINE 29, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25" when GX1/XO1: with XD Driver	560	560	560	560	560

MODEL	RAZORBLADE 29	SLX-30	GX1 EAGLE	XT-22	XT-22 DI2	X01 EAGLE	XTR-22
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	2749	2949	3399	4399	4149	4649
<b>COLOUR / SIZE</b>	Burgundy Red Matt/ Black Glossy, Carbon/Blue Matt / S, M, L, XL	•	•	•	•	•	•
<b>WEIGHT (KG)</b> in frame size L Weight tolerance +/- 3%	Weight Standard version	10,85	10,3	10,65	10,65	10,0	10,15
	Weight with optional Fork Simplon XC-9, Wheelset DT Swiss XRC1200	9,75	9,2	9,55	9,55	8,9	9,05
	Weight with optional Fork Simplon XC-9, Brakes Magura MT-8	9,7	9,15	9,5	9,5	8,85	
	Weight with optional Fork Simplon XC-9, Wheelset DT Swiss XRC1200, Bremsen Magura MT-8	9,55	9,0	9,35	9,35	8,75	
<b>FRAME</b>	HPMC HOT MELT CARBON, Double Fusion Technologie, 142 x 12 mm Thru-axle	•	•	•	•	•	•
	Rock Shox REBA RL 29", 100mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	•	•	•	•	•	•
<b>FORK</b>	Rock Shox SID RL 29", 100mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	64	64	64	64	64	64
	Fox 32 STEPCAST 29" PERFORMANCE ELITE, 100mm, 1.5 Taper, 15QR, 3-Position Remote, black matt	364	364	364	364	364	364
	Simplon XC-9 full carbon RIDGID FORK, 1.5 Taper, 15QR, black matt	minus 68	minus 68	minus 68	minus 68	minus 68	minus 68
<b>HEADSET</b>	Acros AZX 219 BLOCKLOCK (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•	•
<b>SADDLE</b>	Selle Italia SLR X-Cross FLOW black	•	•	•	•	•	•
	Selle Italia DIVA FLOW black	minus 17	minus 17	minus 17	minus 17	minus 17	minus 17
<b>SEATPOST</b>	Simplon CARBON ROD SL, 27.2x400mm, 15mm setback	•	•	•	•	•	•
	Kindshock LEV Integra 272, 27.2x410mm, 100mm travel	278	278	278	278	278	278
<b>HANDLEBAR</b>	Simplon CARBON BAR 700	•	•	•	•	•	•
	Simplon CARBON BAR 640 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	o	o	o	o	o	o
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 80mm x -17° (Optional: 100 x -17°, 80 x -7°, 90 x -7°, 100 x -7°)	•	•	•	•	•	•
<b>CRANKSET</b>	Shimano SLX 40/30/22 175mm / SLX 30-gears / SLX 30-gears / SLX 30-gears / CS-HG50 11-36 / Shimano CN-HG54	•	•	•	•	•	•
<b>SHIFTLEVER</b>	Sram FC GX1 Eagle 32 T 175mm / Sram Trigger GX1 Eagle 12-gears / Sram RD GX1 Eagle / --- / Sram XG-1275 10-50 / Sram GX1 Eagle	—	•	—	—	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 36/26 175mm / Deore XT I-Spec II 22 gears / Deore XT 22 gears / Deore XT / Deore XT 11-42 / Shimano CN-HG701	—	—	•	—	—	—
<b>FRONT DERAILLEUR</b>	Shimano Deore XT 36/26 175mm / Deore XT Di2 22 gears / Deore XT Di2 22 gears / Deore XT Di2 / Deore XT 11-42 / Shimano CN-HG701	—	—	—	•	—	—
<b>CASSETTE</b>	Sram FC X01 Eagle Carbon 32 T 175mm / Sram Trigger XO 1 Eagle 12-gears / Sram RD X01 Eagle / --- / Sram XG-1295 10-50 / Sram X01 Eagle	—	—	—	—	•	—
<b>CHAIN</b>	Shimano XTR M9020, 36/26 175mm / Shimano XTR I-Spec II 22-gears / Shimano XTR / Shimano XTR / Shimano XTR 11-40 / Shimano XTR	—	—	—	—	—	•
<b>BRAKES</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	•	—	—	—	—
	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø180/180	177	177	•	•	•	—
	Shimano XTR M9000 RACE, Rotor RT-86 Ø180/160	—	—	—	—	—	•
	Magura MT-8, Rotor Ø180/180	255	255	77	77	77	—
<b>WHEELSET</b>	Simplon AXM 1750-29, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25" when GX1/X01: with XD Driver	•	•	•	•	•	•
	DT Swiss XM 1501 SPLINE 29, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25" when GX1/X01: with XD Driver	437	437	437	437	437	437
	DT Swiss XRC 1200 SPLINE 29, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25" when GX1/X01: with XD Driver	983	983	983	983	983	983

MODEL	RAZORBLADE 275	SLX-30	GX1 EAGLE	XT-22	X01 EAGLE	XTR-22
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	2649	2849	3299	4049	4549
<b>COLOUR / SIZE</b>	Carbon Matt, Rosso Matt/Anthracite Matt / XS, S, M	•	•	•	•	•
<b>WEIGHT (KG)</b>	Weight Standard version	10,35	9,85	10,15	9,55	9,65
in frame size S	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5	10,05	9,6	9,9	9,3	9,4
Weight tolerance +/- 3%	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5, Bremsen Magura MT-8	9,85	9,35	9,7	9,1	
<b>FRAME</b>	HOT MELT CARBON, Triple Fusion Technology, 142 x 12 mm Thru-axle	•	•	•	•	•
<b>FORK</b>	Rock Shox REBA RL 27.5", 100mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	•	•	•	•	•
<b>HEADSET</b>	Acros AZX 219 BLOCKLOCK (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•
<b>SADDLE</b>	Selle Italia SLR X-Cross FLOW black	•	•	•	•	•
	Selle Italia DIVA FLOW black	minus 17	minus 17	minus 17	minus 17	minus 17
<b>SEATPOST</b>	Simplon CARBON ROD SL, 27.2x400mm, 15mm setback	•	•	•	•	•
	Kindshock LEV Integra 272, 27.2x410mm, 100mm travel	278	278	278	278	278
<b>HANDLEBAR</b>	Simplon CARBON BAR 700	•	•	•	•	•
	Simplon CARBON BAR 640 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	◦	◦	◦	◦	◦
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 90mm x -7° (Optional: 80 x -17°, 100 x -17°, 80 x -7°, 90 x -7°, 100 x -7°)	•	•	•	•	•
<b>CRANKSET</b>	Shimano SLX 40/30/22 175mm / SLX 30-gears / SLX 30-gears / SLX 30-gears / CS-HG50 11-36 / Shimano CN-HG54	•	—	—	—	—
<b>SHIFTLEVER</b>	Sram FC GX1 Eagle 32 T 175mm / Sram Trigger GX1 Eagle 12-gears / Sram RD GX1 Eagle / --- / Sram XG-1275 10-50 / Sram GX1 Eagle	—	•	—	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 36/26 175mm / Deore XT I-Spec II 22 gears / Deore XT 22 gears / Deore XT / Deore XT 11-42 / Shimano CN-HG701	—	—	•	—	—
<b>FRONT DERAILLEUR</b>						
<b>CASSETTE</b>	Sram FC X01 Eagle Carbon 32 T 175mm / Sram Trigger XO 1 Eagle 12-gears / Sram RD X01 Eagle / --- / Sram XG-1295 10-50 / Sram X01 Eagle	—	—	—	•	—
<b>CHAIN</b>	Shimano XTR M9020, 36/26 175mm / Shimano XTR I-Spec II 22-gears / Shimano XTR / Shimano XTR / Shimano XTR 11-40 / Shimano XTR	—	—	—	—	•
<b>BRAKES</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	•	—	—	—
	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø180/180	177	177	•	•	—
	Shimano XTR M9000 RACE, Rotor RT-86 Ø180/160	—	—	—	—	•
	Magura MT-8, Rotor Ø180/180	255	255	77	77	—
<b>WHEELSET</b>	Simplon AXM 1750-275, Tyre Schwalbe ROCKET RON Evolution, 27,5 x 2,25" when GX1/X01: with XD Driver	•	•	•	•	•
	DT Swiss XM 1501 SPLINE 27.5, Tyre Schwalbe ROCKET RON Evolution, 27,5 x 2,25" when GX1/X01: with XD Driver	437	437	437	437	437

MODEL	CIREX 120	GX1 EAGLE	XT-22	XT-22 DI2	X01 EAGLE	XTR-22
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	3649	4099	4999	4949	5499
<b>COLOUR / SIZE</b>	Black Matt/ Black Glossy, Cosmic Red Glossy/ Black Glossy / S, M, L, XL	•	•	•	•	•
<b>WEIGHT (KG)</b> in frame size L Weight tolerance +/- 3%	Weight Standard version Weight with optional Wheelset DT Swiss XRC1200 Weight with optional Wheelset DT Swiss XRC1200, Bremsen Magura MT-8	11,4 10,95 10,75	11,75 11,3 11,1	11,75 11,35 11,15	11,15 10,7 10,5	11,3 10,85
<b>FRAME</b>	HPMC HOT MELT CARBON, Triple Fusion Technology, 148 x 12 mm Thru-Axle, 100mm travel	•	•	•	•	•
<b>FORK</b>	Rock Shox REBA RL 29“ Boost, 120mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	•	•	•	•	•
<b>FORK + REAR SHOCK</b>	Fox 32 FLOAT 29“ PERFORMANCE ELITE 120mm Boost, 1.5 Taper, 15QR, black, 3-Position Remote DT Swiss + rear shock FLOAT DPS Performance Elite 190x45	455	455	455	455	455
<b>FORK + WHEELSET</b>	Rock Shox RS-1 120 mm Boost, 1.5 Taper, Predictive Steering , Diffusion Black + Wheelset DT Swiss XR 1501 SPLINE Rock Shox RS-1 120 mm Boost, 1.5 Taper, Predictive Steering , Diffusion Black + Wheelset DT Swiss XRC 1200 SPLINE	1365 1911	1365 1911	1365 1911	1365 1911	1365 1911
<b>REAR SHOCK</b> (not with FOX Fork)	Rock Shox Deluxe RT3 190x45mm, Diffusion Black Rock Shox Deluxe RL 190x45mm, FullSprint OneLoc Remote, Diffusion Black	• 150	• 150	• 150	• 150	• 150
<b>HEADSET</b>	Acros AZX 219 BLOCKLOCK (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•
<b>SADDLE</b>	Selle Italia SLR X-Cross FLOW black Selle Italia DIVA FLOW black	• minus 17	• minus 17	• minus 17	• minus 17	• minus 17
<b>SEATPOST</b>	Simplon CARBON ROD SL, 31.6x400mm, 15mm setback Kindshock LEV INTEGRA, 31.6x392mm, 125mm travel / 31,6x442, 150mm travel optional	• 259	• 259	• 259	• 259	• 259
<b>HANDLEBAR</b>	Simplon CARBON BAR 700 Simplon CARBON BAR 640 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	• o	• o	• o	• o	• o
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 80mm x -17° (Optional: 100 x -17°, 80 x -7°, 90 x -7°, 100 x -7°)	•	•	•	•	•
<b>CRANKSET</b>	Sram FC GX1 Eagle 32 T 175mm / Sram Trigger GX1 Eagle 12-gears / Sram RD GX1 Eagle / --- / Sram XG-1275 10-50 / Sram GX1 Eagle	•	—	—	—	—
<b>SHIFTLEVER</b>	Shimano Deore XT 36/26 175mm / Deore XT I-Spec II 22 gears / Deore XT 22 gears / Deore XT / Deore XT 11-42 / Shimano CN-HG701	—	•	—	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 36/26 175mm / Deore XT Di2 22 gears / Deore XT Di2 22 gears / Deore XT Di2 / Deore XT 11-42 / Shimano CN-HG701	—	—	•	—	—
<b>FRONT DERAILLEUR</b>	Sram FC X01 Eagle Carbon 32 T 175mm / Sram Trigger XO 1 Eagle 12-gears / Sram RD X01 Eagle / --- / Sram XG-1295 10-50 / Sram X01 Eagle	—	—	—	•	—
<b>CASSETTE</b>	Shimano XTR M9020, 36/26 175mm / Shimano XTR I-Spec II 22-gears / Shimano XTR / Shimano XTR / Shimano XTR 11-40 / Shimano XTR	—	—	—	—	•
<b>CHAIN</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	—	—	—	—
<b>BRAKES</b>	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø180/180 Shimano XTR M9000 RACE, Rotor RT-86 Ø180/160 Magura MT-8, Rotor Ø180/180	177 — 255	• — 77	• — 77	• — 77	— • —
<b>WHEELSET</b>	Simplon AXM 1750-29 Boost, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25“ when GX1/X01: with XD Driver DT Swiss XM 1501 SPLINE 29 Boost, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25“ when GX1/X01: with XD Driver DT Swiss XRC 1200 SPLINE 29 Boost, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25“ when GX1/X01: with XD Driver	• 437 983	• 437 983	• 437 983	• 437 983	• 437 983



MODEL	CURE 29	SLX-30	GX1 EAGLE	XT-22
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	1949	2149	2299
<b>COLOUR / SIZE</b>	Black Matt/ Black Glossy / M, L, XL, XXL	•	•	•
<b>WEIGHT (KG)</b> in frame size M Weight tolerance +/- 3%	Weight Standard version	11,65	11,1	11,55
	Weight with optional Wheelset DT Swiss XM1501 SPLINE 29, Bremsen Magura MT-8	11,15	10,6	11,05
<b>FRAME</b>	ALU ASC-9 double butted, hydro-formed, 135 x 9 mm quick release	•	•	•
	Rock Shox REBA RL 29", 100mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	•	•	•
<b>FORK</b>	Rock Shox SID RL 29", 100mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	64	64	64
	Fox 32 STEPCAST 29" PERFORMANCE ELITE, 100mm, 1.5 Taper, 15QR, 3-Position Remote, black matt	364	364	364
	Simplon XC-9 full carbon RIDGID FORK, 1.5 Taper, 15QR, black matt	minus 68	minus 68	minus 68
<b>HEADSET</b>	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•
	Selle Italia X3 X-Cross FLOW black	•	•	•
<b>SADDLE</b>	Selle Italia SLR X-Cross FLOW black	36	36	36
	Selle Italia DIVA FLOW black	◦	◦	◦
<b>SEATPOST</b>	Simplon LITE ROD 3, 27.2x400mm	•	•	•
	Simplon BAR 700	•	•	•
<b>HANDLEBAR</b>	Simplon BAR 620 / RISER 660 / RISER 700 High / RISER 740	◦	◦	◦
	Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	64	64	64
<b>STEM</b>	Simplon OSX, Standard on all frame sizes 90mm x -17° (Optional: 90 x -8°, 100 x -8°)	•	•	•
<b>CRANKSET, SHIFTLIVER, REAR DERAILLEUR, FRONT DERAILLEUR, CASSETTE, CHAIN</b>	Shimano SLX 40/30/22 175mm / SLX 30-gears / SLX 30-gears / SLX 30-gears / CS-HG50 11-36 / Shimano CN-HG54	•	•	•
	Sram FC GX1 Eagle 32 T 175mm / Sram Trigger GX1 Eagle 12-gears / Sram RD GX1 Eagle / --- / Sram XG-1275 10-50 / Sram GX1 Eagle	—	•	—
	Shimano Deore XT 36/26 175mm / Deore XT I-Spec II 22 gears / Deore XT 22 gears / Deore XT / Deore XT 11-42 / Shimano CN-HG701	—	—	•
<b>BRAKES</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	•	•
	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø180/180	177	177	177
	Magura MT-8, Rotor Ø180/180	255	255	255
<b>WHEELSET</b>	Simplon AXM 1750-29, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25" when GX1/XO1: with XD Driver	•	•	•
	DT Swiss XM 1501 SPLINE 29, Tyre Schwalbe ROCKET RON Evolution, 29 x 2,25" when GX1/XO1: with XD Driver	437	437	437
	Kickstand HEBIE liteFIX 40 (0662 X1)	27	27	27
<b>MISC</b>	Carrier Racktime STAND-IT	32	32	32
	CLAMP-IT for Carrier Racktime	9	9	9

MODEL	KIBO 275 ALU	SLX-22	GX1 EAGLE	XT-22	XO1 EAGLE
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	2649	2849	2949	3649
<b>COLOUR / SIZE</b>	Pulsar Red Matt/ Anthracite Matt, White/Black / 38, 45, 50, 55 cm	•	•	•	•
<b>WEIGHT (KG)</b>	Weight Standard version	13,8	13,1	13,6	12,9
in frame size 45cm	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5	13,6	12,9	13,4	12,7
Weight tolerance +/- 3%	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5, Bremsen Magura MT-8	13,4	12,65	13,2	12,5
<b>FRAME</b>	ALU ASC-9 double butted, hydro-formed with rocker HOT MELT CARBON, 148 x 12 mm Thru-Axle, 130mm travel	•	•	•	•
<b>FORK</b>	Rock Shox REVELATION RL 27.5" Boost (B+ compatibel), 130mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black	•	•	•	•
<b>REAR SHOCK</b>	Rock Shox MONARCH RT HVI, 190x51mm	•	•	—	—
	Rock Shox MONARCH RT-3 HVI, 190x51mm	46	46	•	•
<b>HEADSET</b>	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additonal Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•
<b>SADDLE</b>	Selle Italia X3 X-Cross FLOW black	•	•	•	•
	Selle Italia SLR X-Cross FLOW black	36	36	36	36
	Selle Italia DIVA FLOW black	o	o	o	o
<b>SEATPOST</b>	Simplon LITE ROD 3, 31.6x350mm	•	•	•	•
	Kindshock LEV DX, 31.6x385mm, 125mm travel	305	305	305	305
<b>HANDLEBAR</b>	Simplon RISER 740	•	•	•	•
	Simplon BAR 620 / BAR 700 / RISER 660 / RISER 700 High	o	o	o	o
	Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	64	64	64	64
<b>STEM</b>	Simplon OSX, Standard on all frame sizes 90mm x -8° (Optional: 100 x -8°, 90 x 17°)	•	•	•	•
<b>CRANKSET</b>	Shimano SLX 36/26 175mm / SLX 22-gears / SLX 22-gears / SLX 22-gears / CS-M7000 11-42 / Shimano CN-HG54	•	—	—	—
<b>SHIFTLEVER</b>	Sram FC GX1 Eagle 32 T 175mm / Sram Trigger GX1 Eagle 12-gears / Sram RD GX1 Eagle / --- / Sram XG-1275 10-50 / Sram GX1 Eagle	—	•	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 36/26 175mm / Deore XT I-Spec II 22 gears / Deore XT 22 gears / Deore XT / Deore XT 11-42 / Shimano CN-HG701	—	—	•	—
<b>FRONT DERAILLEUR</b>	Shimano Deore XT 36/26 175mm / Deore XT Di2 22 gears / Deore XT Di2 22 gears / Deore XT Di2 / Deore XT 11-42 / Shimano CN-HG701	—	—	—	—
<b>CASSETTE</b>	Sram FC XO1 Eagle Carbon 32 T 175mm / Sram Trigger XO 1 Eagle 12-gears / Sram RD XO1 Eagle / --- / Sram XG-1295 10-50 / Sram XO1 Eagle	—	—	—	•
<b>CHAIN</b>	Shimano XTR M9020, 36/26 175mm / Shimano XTR I-Spec II 22-gears / Shimano XTR / Shimano XTR / Shimano XTR 11-40 / Shimano XTR	—	—	—	—
<b>BRAKES</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	•	•	•
	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø180/180	177	177	177	177
	Magura MT-8, Rotor Ø180/180	255	255	255	255
<b>WHEELSET</b>	Simplon AXM 1750-275 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,25" when GX1/XO1: with XD Driver	•	•	•	•
	DT Swiss XM 1501 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,25" when GX1/XO1: with XD Driver	446	446	446	446 <sup>3</sup>

MODEL	RAPCON 140	GX1 EAGLE	XT-22	XT-22 DI2	X01 EAGLE	XTR-22
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	3649	4199	5049	4999	5499
<b>COLOUR / SIZE</b>	Carbon Matt/White Glossy, Black Glossy/ Cosmic Blue Matt / S, M, L, XL	•	•	•	•	•
<b>WEIGHT (KG)</b> in frame size M Weight tolerance +/- 3%	Weight Standard version Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5 Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5, Bremsen Magura MT-8	11,9 11,7 11,5	12,3 12,1 11,9	12,3 12,15 11,95	11,7 11,5 11,35	11,85 11,65
<b>FRAME</b>	HPMC HOT MELT CARBON, Triple Fusion Technology, 148 x 12 mm Thru-Axle, 100mm travel	•	•	•	•	•
<b>FORK</b>	Rock Shox REVELATION RC 29" Boost (B+ compatibel), 140mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black Fox 34 FLOAT 27.5" B+ PERFORMANCE ELITE, 140mm, 1.5 Taper, 15QR, black	• 273	• 273	• 273	• 273	• 273
<b>REAR SHOCK</b>	Rock Shox DELUXE RT-3 HVI, 210x55mm, Diffusion Black	•	•	•	•	•
<b>HEADSET</b>	Acros AZX 219 BLOCKLOCK (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•
<b>SADDLE</b>	Selle Italia SLR X-Cross FLOW black Selle Italia DIVA FLOW black	• minus 17	• minus 17	• minus 17	• minus 17	• minus 17
<b>SEATPOST</b>	Simplon CARBON ROD SL, 31.6x400mm, 15mm setback Kindshock LEV INTEGRA, 31.6x392mm, 125mm travel / 31,6x442, 150mm travel optional	• 259	• 259	• 259	• 259	• 259
<b>HANDLEBAR</b>	Simplon CARBON RISER 740 Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680 / CARBON RISER 700 HIGH	• o	• o	• o	• o	• o
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 80mm x -7° (Optional: 100 x -17°, 80 x -17°, 60 x -7°, 90 x -7°, 100 x -7°)	•	•	•	•	•
<b>CRANKSET</b>	Sram FC GX1 Eagle 32 T 175mm / Sram Trigger GX1 Eagle 12-gears / Sram RD GX1 Eagle / --- / Sram XG-1275 10-50 / Sram GX1 Eagle	•	—	—	—	—
<b>SHIFTLEVER</b>	Shimano Deore XT 36/26 175mm / Deore XT I-Spec II 22 gears / Deore XT 22 gears / Deore XT / Deore XT 11-42 / Shimano CN-HG701	—	•	—	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 36/26 175mm / Deore XT Di2 22 gears / Deore XT Di2 22 gears / Deore XT Di2 / Deore XT 11-42 / Shimano CN-HG701	—	—	•	—	—
<b>FRONT DERAILLEUR</b>	Sram FC X01 Eagle Carbon 32 T 175mm / Sram Trigger XO 1 Eagle 12-gears / Sram RD X01 Eagle / --- / Sram XG-1295 10-50 / Sram X01 Eagle	—	—	—	•	—
<b>CASSETTE</b>	Shimano XTR M9020, 36/26 175mm / Shimano XTR I-Spec II 22-gears / Shimano XTR / Shimano XTR / Shimano XTR 11-40 / Shimano XTR	—	—	—	—	•
<b>CHAIN</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	—	—	—	—
<b>BRAKES</b>	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø180/180 Shimano XTR M9000 RACE, Rotor RT-86 Ø180/160 Magura MT-8, Rotor Ø180/180	177 — 255	• — 77	• — 77	• — 77	— • —
<b>WHEELSET</b>	Simplon AXM 1750-275 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,25" when GX1/X01: with XD Driver Simplon AXM 35-275 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6" when GX1/X01: with XD Driver DT Swiss XM 1501 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,25" when GX1/X01: with XD Driver DT Swiss XM 1501 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6" when GX1/X01: with XD Driver	• 46 446 455	• 46 446 455	• 46 446 455	• 46 446 455	• 46 446 455

MODEL	RAPCON 160	GX1 EAGLE	XT-22	XT-22 DI2	X01 EAGLE	XTR-22
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	3999	4549	5499	5299	5949
<b>COLOUR / SIZE</b>	Black Matt/ Black Glossy, Galaxy Blue Glossy/ Fresh Orange Glossy / S, M, L, XL	•	•	•	•	•
<b>WEIGHT (KG)</b> in frame size M Weight tolerance +/- 3%	Weight Standard version Weight with optional Wheelset DT Swiss XM1501 SPLiNE 27.5 Weight with optional Wheelset DT Swiss XM1501 SPLiNE 27.5, Bremsen Magura MT-8	12,35 12,15 11,9	12,8 12,6 12,45	12,9 12,7 12,55	12,15 11,95 11,8	12,4 12,2
<b>FRAME</b>	HPMC HOT MELT CARBON, Triple Fusion Technology, 148 x 12 mm Thru-Axle, 100mm travel	•	•	•	•	•
<b>FORK</b>	Rock Shox YARI RC 29" Boost (B+ compatibel), 160mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black Rock Shox PIKE RC 29" Boost (B+ compatibel), 160mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black Fox 36 FLOAT 27.5" PERFORMANCE ELITE Boost, 160mm, 1.5 Taper, 15QR	• 246 364	— • 118	— • 118	— • 118	— • 118
<b>REAR SHOCK</b>	Rock Shox DELUXE RT3 HVI, 230x65mm, Diffusion Black Rock Shox SUPER DELUXE RC3 HVI, 230x65mm, Diffusion Black	• 173	• 173	• 173	• 173	• 173
<b>HEADSET</b>	Acros AZX 219 BLOCKLOCK (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•
<b>SADDLE</b>	Selle Italia SLR X-Cross FLOW black Selle Italia DIVA FLOW black	• minus 17	• minus 17	• minus 17	• minus 17	• minus 17
<b>SEATPOST</b>	Kindshock LEV INTEGRA, 31.6x442mm, 150mm travel for sizes M, L, XL / 31.6x 392mm, 125mm travel for sizes S (150mm travel optional) Simplon CARBON ROD SL, 31.6x400mm, 15mm setback	• minus 259	• minus 259	• minus 259	• minus 259	• minus 259
<b>HANDLEBAR</b>	Simplon CARBON RISER 740 Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680 / CARBON RISER 700 HIGH	• o	• o	• o	• o	• o
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 60mm x -7° (Optional: 100 x -17°, 80 x -17°, 80 x -7°, 90 x -7°, 100 x -7°)	•	•	•	•	•
<b>CRANKSET</b>	Sram FC GX1 Eagle 32 T 175mm / Sram Trigger GX1 Eagle 12-gears / Sram RD GX1 Eagle / --- / Sram XG-1275 10-50 / Sram GX1 Eagle	•	—	—	—	—
<b>SHIFTLEVER</b>	Shimano Deore XT 36/26 175mm / Deore XT I-Spec II 22 gears / Deore XT 22 gears / Deore XT / Deore XT 11-42 / Shimano CN-HG701	—	•	—	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 36/26 175mm / Deore XT Di2 22 gears / Deore XT Di2 22 gears / Deore XT Di2 / Deore XT 11-42 / Shimano CN-HG701	—	—	•	—	—
<b>FRONT DERAILLEUR</b>	Sram FC X01 Eagle Carbon 32 T 175mm / Sram Trigger XO 1 Eagle 12-gears / Sram RD X01 Eagle / --- / Sram XG-1295 10-50 / Sram X01 Eagle	—	—	—	•	—
<b>CASSETTE</b>	Shimano XTR M9020, 36/26 175mm / Shimano XTR I-Spec II 22-gears / Shimano XTR / Shimano XTR / Shimano XTR 11-40 / Shimano XTR	—	—	—	—	•
<b>CHAIN</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180 Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø203/180 Shimano XTR M9000 RACE, Rotor RT-86 Ø180/160 Magura MT-8, Rotor Ø180/180 Magura MT-7, Rotor Ø203/180	• 177 — 255 191	— • — 77 14	— • — 77 14	— • — 77 14	— — • — —
<b>WHEELSET</b>	Simplon AXM 1750-275 Boost, Tyre Schwalbe FAT ALBERT Trailstar + Pacestar, 27,5 x 2,35" when GX1/X01: with XD Driver Simplon AXM 35-275 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6" when GX1/X01: with XD Driver DT Swiss XM 1501 SPLiNE 27.5 Boost, Tyre Schwalbe FAT ALBERT Trailstar + Pacestar, 27,5 x 2,35" when GX1/X01: with XD Driver DT Swiss XM 1501 SPLiNE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6" when GX1/X01: with XD Driver	• 46 446 455	• 46 446 455	• 46 446 455	• 46 446 455	• 46 446 455

MODEL	STEAMER CARBON E-MTB	SLX-11	XT-11	XT-11 Di2
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	6199	6649	6999
<b>COLOUR / SIZE</b>	Metallic Lime Glossy/ Carbon Matt, Titanium Matt/ Carbon Matt / S, M, L, XL	•	•	•
<b>WEIGHT (KG)</b>	Weight Standard version	21,55	21,45	21,3
in frame size M	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5	21,1	21,0	20,85
Weight tolerance +/- 3%	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5, Bremsen Magura MT-8	20,85	20,8	20,65
<b>FRAME</b>	HPMC HOT MELT CARBON, Triple Fusion Technology, 148 x 12 mm Thru-Axle, 150mm travel	•	•	•
<b>FORK</b>	Rock Shox YARI RC 29" Boost (B+ compatibel), 150mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black	•	•	•
	Rock Shox PIKE RC 29" Boost (B+ compatibel), 160mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black	246	246	246
<b>REAR SHOCK</b>	Rock Shox DELUXE RT, 185x55mm Trunnion Mount, Diffusion Black	•	•	•
<b>HEADSET</b>	Acros AZX-229 (ZS55/30 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•
<b>MOTOR</b>	Shimano STEPS, Drive Unit E8000 (25 km/h), Display E8000B, Battery external E8010	•	•	•
<b>SADDLE</b>	Selle Italia SLR X-Cross FLOW black	•	•	•
	Selle Italia DIVA FLOW black	minus 17	minus 17	minus 17
<b>SEATPOST</b>	Simplon CARBON ROD SL, 31.6x400mm, 15mm setback	•	•	•
	Kindshock LEV INTEGRA, 31.6x392mm, 125mm travel / 31,6x442, 150mm travel optional	259	259	259
<b>HANDLEBAR</b>	Simplon CARBON RISER 700 high	•	•	•
	Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680 / CARBON RISER 740	◦	◦	◦
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 60mm x -7° (Optional: 80 x 7°, 90 x 7°, 100 x 7°, 80 x 17°, 100 x 17°)	•	•	•
<b>CRANKSET</b>	Crankset Shimano E8000 175mm, 34 T	•	—	—
	Crankset Shimano E8050 Hollowtech 175mm, 34 T	—	•	•
	Crankset Miranda Delta S 160mm, 34T	32	minus 36	minus 36
<b>SHIFTLEVER</b>	Shimano SLX 11-gears / Shimano SLX 11 gears / Shimano SLX 11-42 / Shimano CN-HG601	•	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701	—	•	—
<b>CASSETTE</b>	Shimano Deore XT 11-gears Di2 / Shimano Deore XT 11 gears Di2 / Shimano Deore XT 11-42 / Shimano CN-HG701	—	—	•
<b>CHAIN</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	—	—
<b>BRAKES</b>	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø203/180	177	•	•
	Magura MT-8, Rotor Ø180/180	255	77	77
	Magura MT-7, Rotor Ø203/180	191	14	14
<b>WHEELSET</b>	DT Swiss H1900 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6"	•	•	•
	DT Swiss XM 1501 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6"	346	346	346
<b>HEADLIGHTS</b>	Headlight LUPINE SL S for Shimano, 6V, 12W, 700 Lumen, Powered by Shimano Battery	241	241	241

MODEL	STEAMER ALU E-MTB	SLX-11	XT-11	XT-11 Di2
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	4699	5049	5399
<b>COLOUR / SIZE</b>	Black Matt/ Black Glossy, White Glossy/ Black Matt / S, M, L, XL	•	•	•
<b>WEIGHT (KG)</b> in frame size M Weight tolerance +/- 3%	Weight Standard version Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5 Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5, Bremsen Magura MT-8	21,8 21,35 21,1	21,7 21,25 21,05	21,55 21,1 20,95
<b>FRAME</b>	TOP PERFORMANCE ALUMINUM, hydro-formed, 148 x 12 mm Thru-Axle	•	•	•
<b>FORK</b>	Rock Shox YARI RC 29" Boost (B+ compatibel), 150mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black Rock Shox PIKE RC 29" Boost (B+ compatibel), 160mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black	• 246	• 246	• 246
<b>REAR SHOCK</b>	Rock Shox DELUXE RT, 210x55mm, Diffusion Black	•	•	•
<b>HEADSET</b>	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•
<b>MOTOR</b>	Shimano STEPS, Drive Unit E8000 (25 km/h), Display E8000B, Battery external E8010	•	•	•
<b>SADDLE</b>	Selle Italia X3 X-Cross FLOW black Selle Italia SLR X-Cross FLOW black Selle Italia DIVA FLOW black	• 36 ◦	• 36 ◦	• 36 ◦
<b>SEATPOST</b>	Simplon LITE ROD 3, 31.6x350mm Kindshock LEV INTEGRA, 31.6x392mm, 125mm travel / 31,6x442, 150mm travel optional	• 305	• 305	• 305
<b>HANDLEBAR</b>	Simplon RISER 700 high Simplon BAR 620 / BAR 700 / RISER 660 / RISER 740 Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	• ◦ 64	• ◦ 64	• ◦ 64
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 60mm x -7° (Optional: 80 x 7°, 90 x 7°, 100 x 7°, 80 x 17°, 100 x 17°)	•	•	•
<b>CRANKSET</b>	Crankset Shimano E8000 175mm, 34 T Crankset Shimano E8050 Hollowtech 175mm, 34 T Crankset Miranda Delta S 160mm, 34T	• — 32	— • minus 36	— • minus 36
<b>SHIFTLEVER</b>	Shimano SLX 11-gears / Shimano SLX 11 gears / Shimano SLX 11-42 / Shimano CN-HG601	•	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701	—	•	—
<b>CASSETTE</b>	Shimano Deore XT 11-gears Di2 / Shimano Deore XT 11 gears Di2 / Shimano Deore XT 11-42 / Shimano CN-HG701	—	—	•
<b>CHAIN</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	—	—
<b>BRAKES</b>	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø203/180 Magura MT-8, Rotor Ø180/180 Magura MT-7, Rotor Ø203/180	177 255 191	• 77 14	• 77 14
<b>WHEELSET</b>	DT Swiss H1900 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6" DT Swiss XM 1501 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6"	• 346	• 346	• 346
<b>HEADLIGHTS</b>	Headlight LUPINE SL S for Shimano, 6V, 12W, 700 Lumen, Powered by Shimano Battery	241	241	241

MODEL	STEAMER COMPACT E-MTB	SLX-11	XT-11	XT-11 Di2
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	4699	5049	5399
<b>COLOUR / SIZE</b>	White Glossy/ Black Glossy, Black Matt/ Warm Silver Matt / XS, S, M	•	•	•
<b>WEIGHT (KG)</b>	Weight Standard version	21,6	21,5	21,35
in frame size M	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5	21,15	21,05	20,9
Weight tolerance +/- 3%	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5, Bremsen Magura MT-8	20,9	20,85	20,7
<b>FRAME</b>	TOP PERFORMANCE ALUMINUM, hydro-formed, 148 x 12 mm Thru-Axle	•	•	•
<b>FORK</b>	Rock Shox REVELATION RC 27.5" B+, 130mm, 1.5 Taper, 15QR, Crown Adjust, Diffusion Black	•	•	•
<b>REAR SHOCK</b>	Rock Shox DELUXE RT, 185x50mm Trunnion Mount, Diffusion Black	•	•	•
<b>HEADSET</b>	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•
<b>MOTOR</b>	Shimano STEPS, Drive Unit E8000 (25 km/h), Display E8000B, Battery external E8010	•	•	•
<b>SADDLE</b>	Selle Italia X3 X-Cross FLOW black	•	•	•
	Selle Italia SLR X-Cross FLOW black	36	36	36
	Selle Italia DIVA FLOW black	◦	◦	◦
<b>SEATPOST</b>	Simplon LITE ROD 3, 31.6x350mm	•	•	•
	Kindshock LEV INTEGRA, 31.6x392mm, 100mm travel 31.6x342mm, 125mm travel / 31,6x442, 150mm travel optional	305	305	305
<b>HANDLEBAR</b>	Simplon RISER 700 high	•	•	•
	Simplon BAR 620 / BAR 700 / RISER 660 / RISER 740	◦	◦	◦
	Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	64	64	64
<b>STEM</b>	Simplon ZERO, Standard on all frame sizes 60mm x -7° (Optional: 80 x 7°, 90 x 7°, 100 x 7°, 80 x 17°, 100 x 17°)	•	•	•
<b>CRANKSET</b>	Crankset Shimano E8000 175mm, 34 T	•	—	—
	Crankset Shimano E8050 Hollowtech 175mm, 34 T	—	•	•
	Crankset Miranda Delta S 160mm, 34T	32	minus 36	minus 36
<b>SHIFTLEVER</b>	Shimano SLX 11-gears / Shimano SLX 11 gears / Shimano SLX 11-42 / Shimano CN-HG601	•	—	—
<b>REAR DERAILLEUR</b>	Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701	—	•	—
<b>CASSETTE</b>	Shimano Deore XT 11-gears Di2 / Shimano Deore XT 11 gears Di2 / Shimano Deore XT 11-42 / Shimano CN-HG701	—	—	•
<b>CHAIN</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	—	—
<b>BRAKES</b>	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø203/180	177	•	•
	Magura MT-8, Rotor Ø180/180	255	77	77
	Magura MT-7, Rotor Ø203/180	191	14	14
<b>WHEELSET</b>	DT Swiss H1900 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6"	•	•	•
	DT Swiss XM 1501 SPLINE 27.5 Boost, Tyre Schwalbe NOBBY NIC Evolution, 27,5 x 2,6"	346	346	346
<b>HEADLIGHTS</b>	Headlight LUPINE SL S for Shimano, 6V, 12W, 700 Lumen, Powered by Shimano Battery	241	241	241

MODEL	E-DILLY 275 & SENGO 275 E-MTB	E-DILLY 275 EB 80	SENGO 275 EB 80	SENGO 275 URBAN 80
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	3449	4399	4099
<b>COLOUR / SIZE</b>	Black Matt / 40, 45, 50, 55cm	•	•	•
<b>WEIGHT (KG)</b> in frame size 55cm Weight tolerance +/- 3%	Weight Standard version	19,7	18,45	18,1
	Weight with optional Wheelset DT Swiss XM1501 SPLINE 27.5, Bremsen Magura MT-8	19,15	17,85	17,55
<b>FRAME</b>	ALU ULTRA 6 triple butted, hydro-formed, 142 x 12 mm Thru-Axle	•	—	—
	HPMC HOT MELT CARBON, Triple Fusion Technology, 148 x 12 mm Thru-Axle, 150mm travel	—	•	•
<b>FORK</b>	Rock Shox REBA RL 27.5", 100mm, 1.5 Taper, 15QR, OneLoc Remote, Diffusion Black	•	•	—
	Simplon XC-9 full carbon RIDGID FORK, 1.5 Taper, 15QR, black matt	—	—	•
<b>HEADSET</b>	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	—	—
	Acros AZX-219 BLOCKLOCK (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	—	•	•
<b>MOTOR</b>	Bosch PERFORMANCE CX Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh, Simplon Rock Guard in ABS	•	•	•
<b>DISPLAY</b>	Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	319	319	319
<b>SADDLE</b>	Selle Italia X3 X-Cross FLOW black	•	•	•
	Selle Italia SLR X-Cross FLOW black	36	36	36
	Selle Italia DIVA FLOW black	o	o	o
<b>SEATPOST</b>	Simplon LITE ROD 3, 27.2x350mm	•	—	—
	Simplon CARBON ROD SL, 27.2x400mm, 15mm setback	—	•	•
	Kindshock LEV Integra 272, 27.2x410mm, 100mm travel	—	278	278
<b>HANDLEBAR</b>	Simplon RISER 660	•	•	•
	Simplon BAR 620 / BAR 700 / RISER 700 High / RISER 740	o	o	o
	Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680 / CARBON RISER 700 HIGH / CARBON RISER 740	64	64	64
<b>STEM</b>	Simplon OSX, Standard on all frame sizes 90mm x -8° (Optional: 100 x -8°, 90 x 17°)	•	•	•
<b>CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN</b>	Crankset FSA 175mm, 15 T / Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701	•	•	•
<b>BRAKES</b>	Shimano Deore M6000, Ice Tech, Rotor RT-86 Ø180/180	•	•	•
	Shimano Deore XT M8000, Ice Tech, Rotor RT-86 Ø203/180	177	177	177
	Magura MT-8, Rotor Ø180/180	255	255	255
<b>WHEELSET</b>	Simplon AXM 1750-275, Tyre Schwalbe ROCKET RON Evolution, 27,5 x 2,25"	•	•	—
	DT Swiss XM 1501 SPLINE 27.5 Boost, Tyre Schwalbe ROCKET RON Evolution, 27,5 x 2,25"	437	437	—
	Simplon AXM 1750-275, Tyre Schwalbe Super Moto-X, 27,5 x 2,75"	—	—	•
	DT Swiss XM 1501 SPLINE 27.5 Boost, Tyre Schwalbe Super Moto-X, 27,5 x 2,75"	—	—	437
<b>HEADLIGHTS</b>	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 12V DC, 50 LUX, Powered by Bosch Battery + Battery powered rear light IXXI	82	82	82
	Headlights Busch und Müller Lumotec IQ-X, 12V DC, 150 Lux, Powered by Bosch Battery + Battery powered rear light IXXI	137	137	137
<b>MISC</b>	Kickstand HEBIE FIX 40 (0661 X4)	27	27	27
	Carrier Racktime STAND-IT	32	32	—
	Carrier Racktime FOLD-IT	—	—	32
	CLAMP-IT for Carrier Racktime	9	9	9



MODEL	CHENOA UNI E-BIKE / PEDELEC	40	60	SL
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3549	4049	4399
COLOUR / SIZE	Carbon Matt, White/Silver / 40, 47, 54	•	•	•
WEIGHT (KG)	in frame size WOMEN 47cm, weight tolerance +/- 3%	18,75	19,85	18,2
FRAME	Hot Melt Carbon, Double Fusion Technology, VibrexR Comfort rear triangle, fully integrated cable routing, integrated kickstand interface, Postmount Direct Disc Mount	•	•	•
FORK	Simplon F 10.3, HOT MELT CARBON, 1.5 Taper steering tube, 7" Direct Postmount disc brake mount Rock Shox PARAGON GOLD DISC, 65mm travel, Crown Adjust, Diffusion Black	• 27	• 27	• 27
HEADSET	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•
MOTOR	Bosch ACTIVE LINE PLUS Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh Bosch PERFORMANCE CX Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh	• —	— •	• —
ADDITIONAL BATTERY	BOSCH POWER PACK 500Wh rack batterie with Racktime Bosch Shine Evo 28" Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	910	910	910
DISPLAY	Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	319	319	319
SADDLE	Sportourer ZOO FLOW Woman Sportourer ZOO FLOW Man / Sportourer GARDA GEL FLOW Woman/ Man	• o	• o	• o
SEATPOST	Simplon CARBON ROD VT 27.2 x 300 mm Post Moderne BRACER COMP (Suspension) Suntour NCX (Suspension) with tuning springs and neoprene cover	• o 46	• o 46	• o 46
HANDLEBAR	Simplon CX-4 COMFORT Simplon STRAIGHTBAR / CX-3 CITYCROSS / HI-BEAM Simplon CARBON RISER High 700 Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680	• o — —	• o — —	— — • o
STEM	Simplon MB-3, Standard on all frame sizes 80mm x 17° (Optional: 120 x 8°, 100 x 17°) Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight) Simplon ZERO, Standard on all frame sizes 80mm x 17° (Optional: 100 x 17°, 80 x 7°, 60 x 7°, 90 x 7°, 100 x 7°)	• o —	• o —	— — •
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•	•
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Crankset FSA 170mm, 38 Zähne / Shimano Deore 10-gears SL-T6000 / Shimano DEORE 10 gears, RD-T6000 SGSL / Shimano CS-HG500 11-36 / Shimano E6090 Crankset FSA 175mm, 17 T / Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701 Crankset FSA 175mm, 17 T / Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano XTR 11-40 / Shimano CN-HG701	• — —	— • —	— — •
BRAKES	Shimano BR-T446 DISC, Rotor Ø180 / Ø180 Shimano BR-M6000 DISC, Rotor Ø180 / Ø180 Shimano DEORE XT DISC, Rotor Ø180 / Ø180 Magura MT-8, Rotor Ø180/180	• 64 246 —	• 64 246 —	— — — •
WHEELSET	Simplon 8.3 DISC, front hub Shimano M525 DISC, rear hub Shimano M525 DISC Simplon 8.3 DISC, front hub Shimano M756 DISC, rear hub Shimano M756 DISC	• —	— •	— •
TYRES	Schwalbe MARATHON Supreme Evolution Line, HD Guard, Reflex, foldable, 50-622 Schwalbe MARATHON RaceGuard, Reflex, foldable, 40-622 Schwalbe MARATHON MONDIAL, DD, foldable, 50-622	• — 9	• — 9	41 • 46
HEADLIGHTS	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 12V DC, 50 LUX, Powered by Bosch Battery Headlights Busch und Müller Lumotec IQ-X, 12V DC, 150 Lux, Powered by Bosch Battery	• 55	• 55	• 55
MISC	Kickstand HEBIE FIX 40 (0661 X4) Kickstand HEBIE liteFIX 40 (0662 X1) Chainguard Horn Catena A14 Alu Chainguard Horn Catena A08 Bike lock ABUS Shield 5650 (same key as for Battery lock) Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650) Mudguards SKS CAB 55mm, black matt Carrier Racktime Shine Evo CLAMP-IT for Carrier Racktime	• — — • • 41 26 • • 9	• — • — — 41 26 • • 9	— • — • • 41 26 • • 9

MODEL	CHENOA HS E-BIKE / PEDELEC	40	60	SL
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3549	4049	4349
COLOUR / SIZE	Carbon Matt / 46, 51, 56, 61	•	•	•
WEIGHT (KG)	in frame size MEN 51cm, weight tolerance +/- 3%	18,65	19,75	18,1
FRAME	Hot Melt Carbon, Double Fusion Technology, VibrexR Comfort rear triangle, fully integrated cable routing, integrated kickstand interface, Postmount Direct Disc Mount	•	•	•
FORK	Simplon F 10.3, HOT MELT CARBON, 1.5 Taper steering tube, 7" Direct Postmount disc brake mount Rock Shox PARAGON GOLD DISC, 65mm travel, Crown Adjust, Diffusion Black	•	•	•
HEADSET	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•
MOTOR	Bosch ACTIVE LINE PLUS Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh Bosch PERFORMANCE CX Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh	•	•	•
ADDITIONAL BATTERY	BOSCH POWER PACK 500Wh rack batterie with Racktime Bosch Shine Evo 28" Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	910	910	910
DISPLAY	Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	319	319	319
SADDLE	Sportourer ZOO FLOW Man Sportourer ZOO FLOW Woman / Sportourer GARDA GEL FLOW Woman/ Man	•	•	•
SEATPOST	Simplon CARBON ROD VT 27.2 x 300 mm Post Moderne BRACER COMP (Suspension) Suntour NCX (Suspension) with tuning springs and neoprene cover	•	•	•
HANDLEBAR	Simplon CX-3 CITYCROSS Simplon STRAIGHTBAR / CX-4 COMFORT / HI-BEAM Simplon CARBON RISER High 700 Simplon CARBON BAR 640 / CARBON BAR 700 / CARBON RISER 680	•	•	•
STEM	Simplon MB-3, Standard on all frame sizes 80mm x 17° (Optional: 120 x 8°, 100 x 17°) Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight) Simplon ZERO, Standard on all frame sizes 80mm x 17° (Optional: 100 x 17°, 80 x 7°, 60 x 7°, 90 x 7°, 100 x 7°)	•	•	•
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•	•
CRANKSET, SHIFTLIVER, REAR DÉRAILLEUR, CASSETTE, CHAIN	Crankset FSA 170mm, 38 Zähne / Shimano Deore 10-gears SL-T6000 / Shimano DEORE 10 gears, RD-T6000 SGSL / Shimano CS-HG500 11-36 / Shimano E6090 Crankset FSA 175mm, 17 T / Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701 Crankset FSA 175mm, 17 T / Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano XTR 11-40 / Shimano CN-HG701	•	•	•
BRAKES	Shimano BR-T446 DISC, Rotor Ø180 / Ø180 Shimano BR-M6000 DISC, Rotor Ø180 / Ø180 Shimano DEORE XT DISC, Rotor Ø180 / Ø180 Magura MT-8, Rotor Ø180/180	•	•	•
WHEELSET	Simplon 8.3 DISC, front hub Shimano M525 DISC, rear hub Shimano M525 DISC Simplon 8.3 DISC, front hub Shimano M756 DISC, rear hub Shimano M756 DISC	•	•	•
TYRES	Schwalbe MARATHON Supreme Evolution Line, HD Guard, Reflex, foldable, 50-622 Schwalbe MARATHON RaceGuard, Reflex, foldable, 40-622 Schwalbe MARATHON MONDIAL, DD, foldable, 50-622	•	•	•
HEADLIGHTS	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 12V DC, 50 LUX, Powered by Bosch Battery Headlights Busch und Müller Lumotec IQ-X, 12V DC, 150 Lux, Powered by Bosch Battery	•	•	•
MISC	Kickstand HEBIE FIX 40 (0661 X4) Kickstand HEBIE liteFIX 40 (0662 X1) Chainguard Horn Catena A14 Alu Chainguard Horn Catena A08 Bike lock ABUS Shield 5650 (same key as for Battery lock) Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650) Mudguards SKS CAB 55mm, black matt Carrier Racktime Shine Evo CLAMP-IT for Carrier Racktime	•	•	•

MODEL	KAGU BOSCH E-BIKE / PEDELEC	8L	40	NU	R14	60	C60
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3199	3199	3649	4849	3549	3449
COLOUR / SIZE	Black Matt/ Black Glossy, White Glossy/ Black Glossy Men S, M, L, XL / Women XS, S, M, L	•	•	•	•	•	•
WEIGHT (KG)	in frame size Men M, weight tolerance +/- 3%						
FRAME	TOP PERFORMANCE ALUMINIUM, air-formed	•	•	•	•	•	•
FORK	Simplon KAGU BOSCH Alloy Fork	•	•	•	•	•	•
HEADSET	Acros AZX-229 (ZS55/30 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•	•
MOTOR	Bosch ACTIVE LINE PLUS Drive Unit (25 km/h), Display INTUVIA, Battery POWER TUBE 500 Wh Bosch PERFORMANCE CX Drive Unit (25 km/h), Display INTUVIA, Battery POWER TUBE 500 Wh	•	•	—	—	—	—
ADDITIONAL BATTERY	BOSCH POWER PACK 500Wh rack batterie with Racktime Bosch Shine Evo 28" Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	937	937	937	937	937	937
DISPLAY	Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	319	319	319	319	319	319
SADDLE	Sportourer ZOO FLOW Woman or Man depending on frame shape Sportourer ZOO FLOW Woman/ Man / Sportourer GARDA GEL FLOW Woman/ Man	•	•	•	•	•	•
SEATPOST	Simplon LITE ROD 3, 31.6 x 350 mm Post Moderne BRACER COMP (Suspension) Suntour NCX (Suspension) with tuning springs and neoprene cover Kindshock LEV INTEGRA, 31.6x392mm, 125mm travel travel max. 90kg riders weight	•	•	•	•	•	•
HANDLEBAR	Simplon HI-BEAM Simplon STRAIGHTBAR / CX-3 CITYCROSS / CX-4 COMFORT	27	27	27	27	27	27
STEM	Simplon MB-3, 80 x 17° Simplon MB-3, 100 x 17°, 120 x 8° Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	77	77	77	77	77	77
PEDALS	Simplon GRIP II, Alloy/ rubber	273	273	273	273	273	273
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Simplon HI-BEAM Simplon STRAIGHTBAR / CX-3 CITYCROSS / CX-4 COMFORT Simplon MB-3, 80 x 17° Simplon MB-3, 100 x 17°, 120 x 8° Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	•	•	•	•	•	•
BELT DRIVE	Simplon GRIP II, Alloy/ rubber Crankset FSA 170mm, 38 Zähne / Shimano NEXUS 8-gears gripshift / --- / --- / --- / Shimano CN-HG53 Crankset FSA 170mm, 38 Zähne / Shimano Deore 10-gears SL-T6000 / Shimano DEORE 10 gears, RD-T6000 SGSL / Shimano CS-HG500 11-36 / Shimano E6090 Crankset FSA 175mm, 17 T / NUVINCI C3 stepless shifting / NUVINCI N380SE / NUCINCI Sprocket 20T / Shimano CN-HG53 Crankset FSA 175mm, 17 T / Rohloff 14-gears gripshift / --- / --- / --- / Sram PC-971 Crankset FSA 175mm, 17 T / Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701	•	•	•	•	•	•
BRAKES	GATES Carbon Drive CDX, Crankset 50 T, Sprocket 24 T GATES Carbon Drive CDX, Crankset 22 T, Sprocket 20 T Shimano BR-T446 DISC, Rotor Ø180 / Ø180 Shimano BR-M6000 DISC, Rotor Ø180 / Ø180 Shimano DEORE XT DISC, Rotor Ø180 / Ø180	200	—	—	—	—	—
WHEELSET	Simplon 5.3/ 5.4 DISC, front hub Shimano M525 DISC, rear hub NEXUS 8 light PREMIUM VERSION Simplon 5.3/ 5.4 DISC, front hub Shimano M525 DISC, rear hub Shimano M525 DISC Simplon 5.3/ 5.4 DISC, front hub Shimano M756 DISC, rear hub Shimano NUVINCI N380 DISC Simplon 5.3/ 5.4 DISC, front hub Shimano M756 DISC, rear hub Rohloff SPEEDHUB 500 DISC Simplon 5.3/ 5.4 DISC, front hub Shimano M756 DISC, rear hub Shimano M756 DISC	•	•	•	•	•	•
TYRES	Schwalbe BIG BEN, LiteSkin, Raceguard, Reflex, foldable, 60-559 Schwalbe MARATHON MONDIAL, DD, foldable, 55-559	64	64	64	64	64	64
		246	246	246	246	246	246
		•	—	—	—	—	—
		—	•	—	—	—	—
		—	—	•	—	—	—
		—	—	—	•	—	—
		—	—	—	—	•	•
		•	•	•	•	•	—
		36	36	36	36	36	•

MODEL	KAGU BOSCH E-BIKE / PEDELEC	8L	40	NU	R14	60	C60
HEADLIGHTS	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 12V DC, 50 LUX, Powered by Bosch Battery	•	•	•	•	•	—
	Headlights Busch und Müller Lumotec IQ-X, 12V DC, 150 Lux, Powered by Bosch Battery	55	55	55	55	55	—
	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 12V DC, 50 LUX, Powered by Bosch Battery + Battery powered rear light IXXI	—	—	—	—	—	82
	Headlights Busch und Müller Lumotec IQ-X, 12V DC, 150 Lux, Powered by Bosch Battery + Battery powered rear light IXXI	—	—	—	—	—	137
MISC	Kickstand HEBIE FIX 40 (0661 X4)	•	•	•	•	•	27
	Mudguards Racktime Wingee, black matt	•	•	•	•	•	41
	Chainguard Horn Catena A08	•	•	—	—	—	—
	Chainguard Horn Catena A14 Alu	—	—	•	—	•	27
	Bike lock ABUS Shield 5650L (same key as for Battery lock)	41	41	41	41	41	41
	Additional Chain ABUS Shield 5650 (only in combination with	26	26	26	26	26	26
	Carrier Racktime Wingee (Maximum load 15kg; requires Mudguards Racktime Wingee)	•	•	•	•	•	27
	Carrier Tubus LOGO EVO	55	55	55	55	55	82
	Carrier Tubus TARA LOWRIDER	59	59	59	59	59	59
	CLAMP-IT for Carrier Racktime	9	9	9	9	9	9

MODEL	E-DILLY TOUR E-BIKE / PEDELEC	40	60
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3099	3399
COLOUR / SIZE	Black Matt / 45, 50, 55cm	•	•
WEIGHT (KG)	in frame size 45cm, weight tolerance +/- 3%	21,3	22,15
FRAME	ALU ULTRA 6 triple butted, hydro-formed, 142 x 12 mm Thru-Axle	•	•
FORK	Rock Shox PARAGON GOLD DISC, 65mm travel, Crown Adjust, Diffusion Black	•	•
HEADSET	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•
MOTOR	Bosch ACTIVE LINE PLUS Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh Bosch PERFORMANCE CX Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh	•	—
DISPLAY	Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	—	•
SADDLE	Sportourer ZOO FLOW Man Sportourer ZOO FLOW Woman / Sportourer GARDA GEL FLOW Woman/ Man	319	319
SEATPOST	Simplon LITE ROD 3, 27.2 x 350 mm Post Moderne BRACER COMP (Suspension) Suntour NCX (Suspension) with tuning springs and neoprene cover	• ◦ 77	• ◦ 77
HANDLEBAR	Simplon HI-BEAM Simplon STRAIGHTBAR / CX-4 COMFORT	• ◦	• ◦
STEM	Simplon MB-3, 100 x 17° Simplon MB-3, 80 x 17°, 120 x 8° Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	• ◦ ◦	• ◦ ◦
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Crankset FSA 170mm, 38 Zähne / Shimano Deore 10-gears SL-T6000 / Shimano DEORE 10 gears, RD-T6000 SGSL / Shimano CS-HG500 11-36 / Shimano E6090 Crankset FSA 175mm, 17 T / Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701	• —	• •
BRAKES	Shimano BR-T446 DISC, Rotor Ø180 / Ø180 Shimano BR-M6000 DISC, Rotor Ø180 / Ø180 Shimano DEORE XT DISC, Rotor Ø180 / Ø180	• 64 246	• 64 246
WHEELSET	Simplon 8.3 DISC, front hub Shimano M525 DISC, rear hub Simplon R-DT 142-12 DISC with tyre Schwalbe MARATHON Cross, Race Guard, Reflex, 40-622 Simplon 8.3 DISC, front hub Shimano M756 DISC, rear hub Simplon R-DT 142-12 DISC with tyre Schwalbe MARATHON Cross, Race Guard, Reflex, 40-622	• —	• •
HEADLIGHTS	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 12V DC, 50 LUX, Powered by Bosch Battery Headlights Busch und Müller Lumotec IQ-X, 12V DC, 150 Lux, Powered by Bosch Battery	• 55	• 55
MISC	Kickstand HEBIE FIX 40 (0661 X4) Mudguards SKS CAB 55mm, black matt Chainguard Carrier Racktime STAND-IT with Toplight 2C CLAMP-IT for Carrier Racktime	• • • • 9	• • • • 9

MODEL	E-DILLY CROSS E-BIKE / PEDELEC	C40	C60
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	2899	3199
COLOUR / SIZE	Black Matt / 45, 50, 55cm	•	•
WEIGHT (KG)	in frame size 45cm, weight tolerance +/- 3%	19,95	20,8
FRAME	ALU ULTRA 6 triple butted, hydro-formed, 142 x 12 mm Thru-Axle	•	•
FORK	Rock Shox PARAGON GOLD DISC, 65mm travel, Crown Adjust, Diffusion Black	•	•
HEADSET	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•
MOTOR	Bosch ACTIVE LINE PLUS Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh Bosch PERFORMANCE CX Drive Unit (25 km/h), Display INTUVIA, Battery POWER PACK 500 Wh	•	—
DISPLAY	Display Bosch NYON instead of Intuvia (Limited availability - while stock lasts)	—	•
SADDLE	Sportourer ZOO FLOW Man Sportourer ZOO FLOW Woman / Sportourer GARDA GEL FLOW Woman/ Man	319	319
SEATPOST	Simplon LITE ROD 3, 27.2 x 350 mm	•	•
	Post Moderne BRACER COMP (Suspension)	◦	◦
	Suntour NCX (Suspension) with tuning springs and neoprene cover	27	27
HANDLEBAR	Simplon HI-BEAM	77	77
	Simplon STRAIGHTBAR / CX-4 COMFORT	•	•
STEM	Simplon MB-3, 100 x 17°	◦	◦
	Simplon MB-3, 80 x 17°, 120 x 8°	•	•
	Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	◦	◦
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Crankset FSA 175mm, 38 Zähne / Shimano Deore 10-gears SL-T6000 / Shimano DEORE 10 gears, RD-T6000 SGSL / Shimano CS-HG500 11-36 / Shimano E6090	•	—
	Crankset FSA 175mm, 17 T / Shimano Deore XT 11-gears / Shimano Deore XT 11 gears / Shimano Deore XT 11-42 / Shimano CN-HG701	—	•
BRAKES	Shimano BR-T446 DISC, Rotor Ø180 / Ø180	•	•
	Shimano BR-M6000 DISC, Rotor Ø180 / Ø180	64	64
	Shimano DEORE XT DISC, Rotor Ø180 / Ø180	246	246
WHEELSET	Simplon 8.3 DISC, front hub Shimano M525 DISC, rear hub Simplon R-DT 142-12 DISC with tyre Schwalbe MARATHON Cross, Race Guard, Reflex, 40-622	•	—
	Simplon 8.3 DISC, front hub Shimano M756 DISC, rear hub Simplon R-DT 142-12 DISC with tyre Schwalbe MARATHON Cross, Race Guard, Reflex, 40-622	—	•
HEADLIGHTS	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 12V DC, 50 LUX, Powered by Bosch Battery + Battery powered rear light IXXI	82	82
	Headlights Busch und Müller Lumotec IQ-X, 12V DC, 150 Lux, Powered by Bosch Battery + Battery powered rear light IXXI	137	137
MISC	Kickstand HEBIE FIX 40 (0661 X4)	•	•
	Mudguards SKS CAB 55mm, black matt	46	46
	Chainguard Hebie 0315 M14 for C60; Horn A-08 38 for C40	•	•
	Carrier Racktime STAND-IT	36	36
	CLAMP-IT for Carrier Racktime	9	9

MODEL	SILKCARBON NEODRIVES E-BIKE / PEDELEC	XT-10	XT-30
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	5199	5299
COLOUR / SIZE	Carbon Matt/ Black Glossy, Cosmic Red Glossy/ Carbon Matt / S, M, L, XL	•	•
WEIGHT (KG)	in frame size M Weight tolerance +/- 3%	20,2	20,6
FRAME	HotMelt Carbon, Triple Fusion Technology, SCS+ Technik, Integrated Kickstand Interface, Postmount Direct disc brake mount	•	•
FORK	Simplon F 10.3, HOT MELT CARBON, 1.5 Taper steering tube, 7" Direct Postmount disc brake mount Rock Shox PARAGON GOLD DISC, 65mm travel, Crown Adjust, Diffusion Black	• 27	• 27
HEADSET	Acros AZX-201 (ZS44/28.6 x ZS55/40), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•
MOTOR	NEODRIVES hub engine, colour sMMI Display, NEODRIVES 500 Wh integrated Battery	•	•
SADDLE	Sportourer ZOO FLOW Man Sportourer ZOO FLOW Woman / Sportourer GARDA GEL FLOW Man/ Woman BROOKS Cambium C13 Carbon 158mm wide, black (only with Carbon ROD VT o LEV Integra)	• o 155	• o 155
SEATPOST	Simplon CARBON ROD VT 27.2 x 300 mm Post Moderne BRACER COMP (Suspension) Suntour NCX (Suspension) with tuning springs and neoprene cover Kindshock LEV Integra 272, 27.2x410mm, 100mm travel	• o 46 291	• o 46 291
HANDLEBAR	Simplon CARBON BAR 700 (only compatible with stem ZERO II) Simplon CARBON BAR 640 / CARBON RISER High 700 / CARBON RISER 680 (only compatible with stem ZERO II) Simplon STRAIGHTBAR / CX-3 CITYCROSS / CX-4 COMFORT / HI-BEAM (only with STEM MB-3 or RSA)	• o minus 55	• o minus 55
STEM	Simplon ZERO II, 80 x 17° (only compatible with carbon handlebars) Simplon ZERO II, 100 x 17°, 120 x 8° (only compatible with carbon handlebars) Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight) (only compatible with alloy handlebars) Simplon MB-3, 80 x 17°, 100 x 17°, 120 x 8° (only compatible with alloy handlebars)	• o o o	• o o o
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Truvativ FIREX 38 T / Shimano DEORE XT 10-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-M771-10 11-34 / Shimano CN-HG95 Shimano DEORE XT 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-M771-10 11-34 / Shimano CN-HG95	• —	• —
BRAKES	Shimano BR-M6000 DISC, Rotor Ø180 / Ø180 Shimano DEORE XT DISC, Rotor Ø180 / Ø180	• 182	• 182
WHEELSET	Simplon 8.4 / 6.4, front hub dynamo Shimano M756 32L, rear hub NEODRIVES 36L	•	•
TYRES	Schwalbe MARATHON Supreme Evolution Line, HD Guard, Reflex, foldable, 50-622 Schwalbe MARATHON MONDIAL, DD, foldable, 50-622	• 9	• 9
HEADLIGHTS	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 6V DC, 50 LUX, Powered by Neodrives Battery (Integrated stem mount with stem Zero II) Headlights Busch und Müller Lumotec IQ Cyo, 42V DC, 80 Lux, Powered by Neodrives Battery	• 41	• 41
MISC	Kickstand Hebie FIX40 (0661 X4) Chainguard Horn Catena A08-38 T Chainguard Horn CATENA ALU 48 T Mudguards Racktime Wingee, black matt Carrier SIMPLON SILKCARBON (full carbon with racktime toprack) Additional struts for bags CLAMP-IT for Carrier Racktime GPS MODUL CODE-NO (incl. 1 year contract, thereafter 5€ per month)	• • — • • 27 9 236	• — • • • 27 9 236

MODEL	KAGU E-BIKE / PEDELEC	ERA 10	ERA 30	ERA 50
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3199	3299	3549
COLOUR / SIZE	Black Matt/ Black Glossy, Pearlwhite Glossy/ Anthracite Glossy / Men 47, 51, 55, 59, 62 cm / Women 45, 51, 55 cm	•	•	•
WEIGHT (KG)	in frame size MEN 51cm, weight tolerance +/- 3%	22,95	23,2	22,9
FRAME	ALU 7005 SL, double butted, 3D forged dropouts, frame weight ca.1.850g	•	•	•
FORK	Simplon F.06 ALLOY FORK	•	•	•
HEADSET	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•
MOTOR	NEODRIVES hub engine, colour sMMI Display, NEODRIVES 612 Wh Frame mount Battery	•	•	•
SADDLE	Sportourer ZOO FLOW Woman or Man depending on frame shape	•	•	•
	Sportourer ZOO FLOW Woman / Man, Sportourer GARDA GEL FLOW Woman / Man	◦	◦	◦
	Simplon LITE ROD 3, 31.6 x 350 mm	•	•	•
SEATPOST	Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/31,6	27	27	27
	Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/31,6	77	77	77
HANDLEBAR	Simplon HI-BEAM	•	•	•
	Simplon STRAIGHTBAR / CX-3 CITYCROSS / CX-4 COMFORT	◦	◦	◦
	Simplon MB-3, 80 x 17°	•	•	•
STEM	Simplon MB-3, 100 x 17°, 120 x 8°	◦	◦	◦
	Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	◦	◦	◦
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•	•
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Truvativ FIREX 38 T / Shimano DEORE T6000-10 gears / Shimano DEORE RD-T6000 / --- / CS-HG500-10 11-34 / CN-HG54	•	—	—
	Shimano DEORE 48/36/26 / Shimano DEORE T6000-30-gears / DEORE T6000 / DEORE / CS-HG500-10, 11-34 / CN-HG54	—	•	—
	Shimano DEORE XT 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-M771-10 11-34 / Shimano CN-HG95	—	—	•
BRAKES	Magura HS-22 hydraulic rim brake	•	•	•
	Magura HS-33 RADIAL hydraulic rim brake	27	27	27
	Shimano BR-T446 DISC, Rotor Ø180 / Ø180	◦	◦	◦
	Shimano BR-M6000 DISC, Rotor Ø180 / Ø180	55	55	55
WHEELSET	Simplon 5.4, front hub Shimano Deore 36L, rear hub NEODRIVES 36L with tyre Schwalbe BIG BEN, Lite Skin, Raceguard, Reflex, foldable, 60-559	•	•	—
	Simplon 5.4, front hub Shimano Deore XT 36L, rear hub NEODRIVES 36L with tyre Schwalbe BIG BEN, Lite Skin, Raceguard, Reflex, foldable, 60-559	—	—	•
HEADLIGHTS	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 42V DC, 50 LUX, Powered by Neodrives Battery	•	•	•
	Headlights Busch und Müller Lumotec IQ Cyo, 42V DC, 80 Lux, Powered by Neodrives Battery	41	41	41
	Kickstand Hebie FIX 40 (0661 X4)	•	•	•
	Chainguard Horn Catena A09-38 T	•	—	—
	Chainguard Horn CATENA ALU 48 T	—	27	27
MISC	Bike lock ABUS Shield 5650	32	32	32
	Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650)	26	26	26
	Mudguards SKS CAB 65mm, black matt	•	•	•
	Carrier Racktime Shine Evo	•	•	•
	CLAMP-IT for Carrier Racktime	9	9	9
	Carrier Tubus LOGO EVO (incl. rear light B&M Toplight 2C)	27	27	27
	Carrier Tubus TARA LOWRIDER	59	59	59



MODEL	ALULITE E-BIKE / PEDELEC	ERA 10	ERA 30	ERA 50
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	3049	3149	3449
COLOUR / SIZE	Pearlwhite Glossy/ Anthrazit Glossy, Black anodized / 40, 45, 51, 55 cm	•	•	•
WEIGHT (KG)	Weight with Standard Fork CR-9V-LO, weight tolerance +/- 3%	23,85	24,1	23,7
	Weight with Fork Rock Shox Paragon Gold, weight tolerance +/- 3%	23,65	23,9	23,5
FRAME	ALU 7005 SL, weight ca. 2.220g	•	•	•
FORK	Suntour CR-9V-LO, crown adjust, 63mm travel	•	•	•
	Rock Shox PARAGON GOLD, 65mm travel, Crown Adjust, Diffusion Black	118	118	118
HEADSET	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•
MOTOR	NEODRIVES hub engine, colour sMMI Display, NEODRIVES 612 Wh Frame mount Battery	•	•	•
SADDLE	Sportourer GARDA GEL FLOW Woman	•	•	•
	Sportourer ZOO FLOW Woman / Sportourer ZOO FLOW Man/ Sportourer GARDA GEL FLOW Man	◦	◦	◦
SEATPOST	Simplon LITE ROD 3, 27.2 x 350 mm incl. bushing 27,2/30,2	•	•	•
	Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/30,2	27	27	27
	Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/30,2	77	77	77
HANDLEBAR	Simplon CX-4 COMFORT	•	•	•
	Simplon STRAIGHTBAR / CX-3 CITYCROSS / HI-BEAM	◦	◦	◦
STEM	Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	•	•	•
	Simplon MB-3, 80 x 17°, 100 x 17°, 120 x 8°	◦	◦	◦
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•	•
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Truvativ FIREX 38 T / Shimano DEORE T6000-10 gears / Shimano DEORE RD-T6000 / --- / CS-HG500-10 11-34 / CN-HG54	•	—	—
	Shimano DEORE 48/36/26 / Shimano DEORE T6000-30-gears /DEORE T6000 / DEORE / CS-HG500-10, 11-34 / CN-HG54	—	•	—
	Shimano DEORE XT 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-M771-10 11-34 / Shimano CN-HG95	—	—	•
BRAKES	Magura HS-22 hydraulic rim brake	•	•	•
	Magura HS-33 RADIAL hydraulic rim brake	27	27	27
WHEELSET	Simplon 6.3 / 6.4 EB, front hub Shimano Deore 36L, rear hub NEODRIVES 36L with Schwalbe tyre MARATHON, Lite Skin, Race Guard, Reflex, foldable, 40-622	•	•	—
	Simplon 6.3 / 6.4 EB, front hub Shimano Deore 36L, rear hub NEODRIVES 36L with Schwalbe tyre MARATHON, Lite Skin, Race Guard, Reflex, foldable, 40-622	—	—	•
HEADLIGHTS	Headlights Busch und Müller Lumotec IQ2 EYC T Senso Plus 42V DC, 50 LUX, Powered by Neodrives Battery	•	•	•
	Headlights Busch und Müller Lumotec IQ Cyo, 42V DC, 80 Lux, Powered by Neodrives Battery	41	41	41
	Kickstand Hebie LEX (0630 X1)	•	•	•
MISC	Chainguard Horn Catena A09-38 T	•	—	—
	Chainguard Horn CATENA ALU 48 T	—	27	27
		32	32	32
	Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650)	26	26	26
	Mudguards SKS CAB 53mm, black matt	•	•	•
	Carrier Racktime SHINE EVO	•	•	•
	CLAMP-IT for Carrier Racktime	9	9	9

MODEL	INISSIO TOUR	F1	F2
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	2899	3099
<b>COLOUR / SIZE</b>	Rosso, Carbon Matt / 47, 51, 55, 58, 62 cm	•	•
<b>WEIGHT (KG)</b>	in frame size 55cm, weight tolerance +/- 3%	8,4	
<b>FRAME</b>	HOT MELT CARBON, Triple Fusion Technology, 142 x 12 mm Thru-axle, Disc Brake Flatmount, comfort-oriented	•	•
<b>FORK</b>	Simplon INISSIO, HOT MELT CARBON, I-CONE, Disc Brake Direct	•	•
<b>HEADSET</b>	Acros AiX-324 (IS42/28.6 x IS47/33), 30mm Spacer Spacer (go to page 4 for additional Info)	•	•
<b>SADDLE</b>	Selle Italia SLS FLOW black	•	•
	Selle Italia SLR FLOW black	41	41
	Selle Italia DIVA FLOW black	◦	◦
<b>SEATPOST</b>	Simplon MONO ROD SL Carbon, 27.2x320mm, with adapter for conventional rails	•	•
<b>HANDLEBAR</b>	Simplon BAR 700	•	•
	Simplon RISER Low 660	◦	◦
	Simplon CARBON BAR 700 / CARBON RISER 680	64	64
<b>PEDALS</b>	Simplon 128 Alloy pedals	•	•
<b>STEM</b>	Simplon OSX, Standard on all frame sizes 90 x -8° (Optional: 100 x 8°, 90 x 17°)	•	•
<b>CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN</b>	Shimano 105 FC-5800 50/34 / SL-RS 700 22-gears / 105 / 105 / 105 11-speed 11-32 / CN-HG 6001	•	—
	Shimano Ultegra Compact 50/34 / SL-RS 700 22-gears / Ultegra / Ultegra / Ultegra-11-speed 11-30 / Ultegra	—	•
<b>DISC BRAKES/ SHIFTLIVER</b>	Shimano BR-M6000 DISC, Rotor RT-800 Ø160/Ø140	•	•
	Shimano DEORE XT BR-M8000, Ice Tech/BL-M8000, Rotor RT-800 Ø160/140	127	127
<b>WHEELSET</b>	DT Swiss P1800 Spline 23 db incl. Tyre Schwalbe MARATHON RACER, Reflex, faltbar, 30-622	•	•
	DT Swiss PR1600 Spline 32 db incl. Tyre Schwalbe MARATHON RACER, Reflex, faltbar, 30-622	164	164
	DT Swiss PRC1400 Spline 35 db incl. Tyre Schwalbe MARATHON RACER, Reflex, faltbar, 30-622	1092	1092
<b>MISC</b>	Mudguards SKS CAB 45mm, black matt	32	32
	Carrier Tubus FLY (maximum load 12kg)	68	68

MODEL	SILKCARBON SPORT / CROSS	SPORT		CROSS	
		M1	M2	CXTX	CPR
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	1899	2349	1999	2249
<b>COLOUR / SIZE</b>	Carbon Matt/ Black Glossy, White/ Black / Men 46, 51, 56, 61 / Women 41, 46, 51 cm	•	•	•	•
<b>WEIGHT (KG)</b> in frame size Men 51cm	Weight with Fork F 10.2	10,0	9,55	10,45	10,25
Weight tolerance +/- 3%	Weight with Fork Rock Shox Paragon Gold Disc	11,3	10,85	11,75	11,55
<b>FRAME</b>	HotMelt Carbon, Triple Fusion Technology, SCS+ Technik, Integrated Kickstand Interface, Postmount Direct disc brake mount, frame weight men ca. 1.250 g, frame weight women ca. 1.350 g	•	•	•	•
<b>FORK</b>	Simplon F 10.2 SILKCARBON	•	•	minus 27	minus 27
	Rock Shox PARAGON GOLD DISC, 65mm Travel	27	27	•	•
<b>HEADSET</b>	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•
<b>SADDLE</b>	Sportourer ZOO FLOW Woman or Man depending on frame shape	•	•	•	•
	Sportourer ZOO FLOW Woman / Man, Sportourer GARDA GEL FLOW Woman / Man	◦	◦	◦	◦
<b>SEATPOST</b>	Simplon CARBON ROD VT 27.2 x 320 mm	•	•	•	•
	Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/31,6	◦	◦	◦	◦
	Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/31,6	46	46	46	46
<b>HANDLEBAR</b>	Simplon STRAIGHTBAR	•	•	•	•
	Simplon CX-3 CITYCROSS / HI-BEAM	◦	◦	◦	◦
<b>STEM</b>	Simplon MB-3, 80 x 17°	•	•	•	•
	Simplon MB-3, 100 x 17°, 120 x 8°	◦	◦	◦	◦
	Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	◦	◦	◦	◦
<b>PEDALS</b>	Simplon 128 Alloy pedals	•	•	•	•
<b>CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN</b>	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE 30-gears / Shimano DEORE / Shimano DEORE / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	•	—	—	—
	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	—	—	•	—
	Shimano DEORE XT 48/36/26 / Shimano DEORE XT 30-Gang / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-M771-10 11-34 / Shimano CN-HG95	—	•	—	•
<b>BRAKES</b>	Shimano BR-T446 DISC, Rotor Ø180 / Ø180	•	•	•	•
	Shimano BR-M6000 DISC, Rotor Ø180 / Ø180	64	64	64	64
	Shimano DEORE XT DISC, Rotor Ø180 / Ø180	246	246	246	246
<b>WHEELSET</b>	Simplon 8.4 DISC, front hub Shimano M525 DISC, rear hub Shimano FH-M525 DISC	•	—	—	—
MARATHON RACER, Reflex, faltbar, 30-622	Simplon 8.4 DISC, front hub Shimano DEORE XT DISC, rear hub Shimano Deore XT DISC	—	•	—	—
<b>WHEELSET</b>	Simplon 8.4 DISC, front hub Shimano M525 DISC, rear hub Shimano FH-M525 DISC	—	—	•	—
MARATHON CROSS, Performance, RaceGuard, LiteSkin, Reflex, 40-622	Simplon 8.4 DISC, front hub Shimano DEORE XT DISC, rear hub Shimano Deore XT DISC	—	—	—	•
<b>MISC</b>	Kickstand Hebie liteFIX 40 (0662 X1)	27	27	27	27
	Chainguard Horn CATENA ALU 48 T	27	27	27	27
	Mudguards SKS CAB 45mm, black matt	21	21	—	—
	Mudguards SKS CAB 53mm, black matt	—	—	21	21
	Carrier Racktime STAND-IT	36	36	36	36
	CLAMP-IT for Carrier Racktime	9	9	9	9

MODEL	SILKCARBON TREKKING	K1	K2	XTX	PRO
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	2099	2499	2299	2499
COLOUR / SIZE	Carbon Matt/ Black Glossy, White/ Black / Men 46, 51, 56, 61 / Women 41, 46, 51 cm	•	•	•	•
WEIGHT (KG)	in frame size Men 51cm Weight tolerance +/- 3%	11,85	11,45	12,5	12,35
FRAME	HotMelt Carbon, Triple Fusion Technology, SCS+ Technik, Integrated Kickstand Interface, Postmount Direct disc brake mount, frame weight men ca. 1.250 g, frame weight women ca. 1.350 g	•	•	•	•
FORK	Simplon F 10.2 SILKCARBON Rock Shox PARAGON GOLD DISC, 65mm Travel	• 27	• 27	• 27	• 27
HEADSET	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•
SADDLE	Sportourer ZOO FLOW Woman or Man depending on frame shape Sportourer GARDA GEL FLOW Woman or Man depending on frame shape Sportourer ZOO FLOW Woman / Man / Sportourer GARDA GEL FLOW Woman/ Man	• — ◦	• — ◦	— • ◦	— • ◦
SEATPOST	Simplon CARBON ROD VT 27.2 x 320 mm Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/31,6 Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/31,6	• ◦ 46	• ◦ 46	• ◦ 46	• ◦ 46
HANDLEBAR	Simplon STRAIGHTBAR Simplon CX-3 CITYCROSS Simplon CX-4 COMFORT / HI-BEAM	• ◦ ◦	• ◦ ◦	◦ • ◦	◦ • ◦
STEM	Simplon MB-3, 80 x 17° Simplon MB-3, 100 x 17°, 100x8°, 120 x 8° Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	• ◦ ◦	• ◦ ◦	• ◦ ◦	• ◦ ◦
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•	•	•
CRANKSET, SHIFTLIVER, REAR DERAILEUR, CASSETTE, CHAIN	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE 30-gears / Shimano DEORE / Shimano DEORE / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54 Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54 Shimano DEORE XT 48/36/26 / Shimano DEORE XT 30-Gang / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-M771-10 11-34 / Shimano CN-HG95	• — —	— — •	— • —	— — •
BRAKES	Shimano BR-T446 DISC, Rotor Ø180 / Ø180 Shimano BR-M6000 DISC, Rotor Ø180 / Ø180 Shimano DEORE XT DISC, Rotor Ø180 / Ø180	• 64 246	• 64 246	• 64 246	• 64 246
WHEELSET	Simplon 8.4 DISC, front hub dynamo Shimano DH-3D72 DISC, rear hub Shimano FH-M525 DISC	•	—	—	—
MARATHON RACER, Reflex, foldable, 30-622	Simplon 8.4 DISC, front hub dynamo Shimano DH-3D72 DISC, rear hub Shimano Deore XT DISC	—	•	—	—
WHEELSET	Simplon 8.4 DISC, front hub dynamo Shimano DH-3D72 DISC, rear hub Shimano FH-M525 DISC	—	—	•	—
MARATHON, Performance Line, Reflex, foldable 40-622	Simplon 8.4 DISC, front hub dynamo Shimano DH-3D72 DISC, rear hub Shimano Deore XT DISC	—	—	—	•
	Lights Package 4 Lights Package X4	• 68	• 68	• 68	• 68
	Kickstand Hebie liteFIX 40 (0662 X1) Chainguard Horn CATENA ALU 48 T	• 27	• 27	• 27	• 27
MISC	Mudguards SKS CAB 45mm, black matt Mudguards SKS CAB 53mm, black matt Carrier Racktime I-VALO Deluxe with LED rear light CLAMP-IT for Carrier Racktime	• — • 9	• — • 9	— • • 9	— • • 9

MODEL	KAGU PURE	PURE
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	1549
<b>COLOUR / SIZE</b>	Black Matt/ Black Glossy, Pearlwhite Glossy/ Anthracite Glossy / Men 47, 51, 55, 59, 62 cm / Women 45, 51, 55 cm	•
<b>WEIGHT (KG)</b>	in frame size Men 51cm Weight tolerance +/- 3%	12,75
<b>FRAME</b>	ALU 7005 SL, double butted, 3D forged dropouts, frame weight ca.1.850g	•
<b>FORK</b>	Simplon F.06 ALLOY FORK	•
<b>HEADSET</b>	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•
<b>SADDLE</b>	Sportourer ZOO FLOW Woman or Man depending on frame shape Sportourer ZOO FLOW Woman / Man, Sportourer GARDA GEL FLOW Woman / Man	• ◦
<b>SEATPOST</b>	Simplon LITE ROD 3, 31.6 x 350 mm Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/31,6 Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/31,6	• 27 77
<b>HANDLEBAR</b>	Simplon HI-BEAM Simplon STRAIGHTBAR / CX-4 COMFORT	• ◦
<b>STEM</b>	Simplon MB-3, 80 x 17° Simplon MB-3, 100 x 17°, 100x8°, 120 x 8° Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	• ◦ ◦
<b>PEDALS</b>	Simplon GRIP II, Alloy/ rubber	•
<b>CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN</b>	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	•
<b>BRAKES</b>	Magura HS-22 hydraulic rim brake Magura HS-33 RADIAL hydraulic rim brake Shimano BR-T446 DISC, Rotor Ø180 / Ø180 Shimano BR-M6000 DISC, Rotor Ø180 / Ø180	• 27 minus 14 50
<b>WHEELSET</b> Schwalbe BIG BEN, LiteSkin, Raceguard, Reflex, foldable, 60-559	Simplon 5.3 SE, front hub Shimano Deore, rear hub Shimano DEORE	•
<b>MISC</b>	Kickstand HEBIE liteFIX 40 (0662 X1) Chainguard Horn CATENA A09-48T Bike lock ABUS Shield 5650 Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650) Mudguards SKS CAB 65mm, black matt Carrier Racktime STAND-IT CLAMP-IT for Carrier Racktime Carrier Tubus LOGO EVO Carrier Tubus TARA LOWRIDER	27 27 32 26 41 36 9 77 59

MODEL	KAGU TREKKING	8L PREMIUM	D30	XTX	A11	PRO	600
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	1599	1599	1849	1999	2049	2999
COLOUR / SIZE	Black Matt/ Black Glossy, Pearlwhite Glossy/ Anthracite Glossy Men 47, 51, 55, 59, 62 cm / Women 45, 51, 55 cm	•	•	•	•	•	•
WEIGHT (KG)	in frame size Men 51cm Weight tolerance +/- 3%	15,3	15,05	14,8	15,3	14,7	15,35
FRAME	ALU 7005 SL, double butted, 3D forged dropouts, frame weight ca.1.850g	•	•	•	•	•	•
FORK	Simplon F.06 ALLOY FORK	•	•	•	•	•	•
HEADSET	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additonal Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•	•
SADDLE	Sportourer ZOO FLOW Woman or Man depending on frame shape Sportourer ZOO FLOW Woman / Man, Sportourer GARDA GEL FLOW Woman / Man	• ◦	• ◦	• ◦	• ◦	• ◦	• ◦
SEATPOST	Simplon LITE ROD 3, 31.6 x 350 mm Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/31,6 Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/31,6	• 27 77	• 27 77	• 27 77	• 27 77	• 27 77	• 27 77
HANDLEBAR	Simplon HI-BEAM Simplon STRAIGHTBAR / CX-4 COMFORT	• ◦	• ◦	• ◦	• ◦	• ◦	• ◦
STEM	Simplon MB-3, 80 x 17° Simplon MB-3, 100 x 17°, 120 x 8° Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	• ◦ ◦	• ◦ ◦	• ◦ ◦	• ◦ ◦	• ◦ ◦	• ◦ ◦
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•	•	•	•	•
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Shimano NEXUS 38 T / Shimano NEXUS 8-gears gripshift / --- / --- / --- / Shimano CN-HG53	•	—	—	—	—	—
	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE 30-gears / Shimano DEORE / Shimano DEORE / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	—	•	—	—	—	—
	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	—	—	•	—	—	—
	Truvativ FIREX 42 T / Shimano ALFINE 11-gears / --- / --- / --- / Shimano CH-HG53	—	—	—	•	—	—
	Shimano DEORE XT 48/36/26 / DEORE XT 30-gears / DEORE XT / DEORE XT / CS-M771-10 11-34 / CN-HG95	—	—	—	—	•	—
	Truvativ FIREX 42 T / Rohloff 14-gears gripshift / --- / --- / --- / Shimano CH-HG53	—	—	—	—	—	•
BELT DRIVE	GATES Carbon Drive CDX, Crankset 46 T, Sprocket 24 T GATES Carbon Drive CDX, Crankset 50 T, Sprocket 19 T	215 —	— —	— —	164 —	— —	— 197
RIM BRAKES	Magura HS-22 hydraulic rim brake Magura HS-33 RADIAL hydraulic rim brake	• 27	• 27	• 27	• 27	• 27	• 27
WHEELSET Schwalbe BIG BEN, LiteSkin, Raceguard, Reflex, foldable, 60-559	Simplon 5.3 SE, front hub dynamo Shimano DH-C3000, rear hub NEXUS 8 light PREMIUM VERSION	•	—	—	—	—	—
	Simplon 5.3 SE, front hub dynamo Shimano DH-C3000, rear hub Shimano DEORE	—	•	•	—	—	—
	Simplon 5.3 SE/ 5.4, front hub dynamo Shimano DH-C3000, rear hub Shimano ALFINE A11	—	—	—	•	—	—
	Simplon 5.3 SE, front hub dynamo Shimano DH-C3000, rear hub Shimano DEORE XT	—	—	—	—	•	—
	Simplon 5.3 SE, front hub dynamo Shimano DH-C3000, rear hub Rohloff SPEEDHUB 500	—	—	—	—	—	•

MODEL	KAGU TREKKING	8L PREMIUM	D30	XTX	A11	PRO	600
LIGHTS PACKAGES	Lights Package 1	•	•	•	•	•	•
	Lights Package X1	82	82	82	82	82	82
	Lights Package 2	64	64	64	64	64	64
	Lights Package X2	127	127	127	127	127	127
DISC BRAKES + LIGHTS PACKAGES	Disc brakes Shimano BR-T446 with Lights package 4	—	55	55	—	55	127
	Disc brakes Shimano BR-T446 with Lights package X4	—	118	118	—	118	182
	Disc brakes Shimano BR-M6000 with Lights package 4 (recommendation as travel bike)	—	118	118	—	118	200
	Disc brakes Shimano BR-M6000 with Lights package X4 (recommendation as travel bike)	—	182	182	—	182	255
MISC	Kickstand HEBIE liteFIX 40 (0662 X1)	•	•	•	•	•	•
	Chainguard Hebie CHAINGLIDER	•	—	—	•	—	•
	Chainguard Horn CATENA ALU 48T	—	27	27	—	27	—
	Bike lock ABUS Shield 5650	32	32	32	32	32	32
	Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650)	26	26	26	26	26	26
	Mudguards SKS CAB 65mm, black matt	•	•	•	•	•	•
	Carrier Racktime I-VALO Deluxe with LED rear light	•	•	•	•	•	•
	CLAMP-IT for Carrier Racktime	9	9	9	9	9	9
	Carrier Tubus LOGO EVO incl. rear light B&M Toplight 2C (recommendation as travel bike)	27	27	27	27	27	27
	Carrier Tubus TARA LOWRIDER (recommendation as travel bike)	59	59	59	59	59	59

MODEL	SPOTLIGHT TREKKING	D30	XTX	A11	PRO	600	K1	K2
PRICE	2018 Prices in GBP- recommended retail price incl. VAT.	1399	1649	1899	1899	2899	1449	1949
COLOUR / SIZE	Denim Blue Matt/ Black Glossy, Black Matt/ Black Glossy, Pearlwhite Glossy/ Silver Glossy Men 46, 51, 56, 61 cm / Women 41, 46, 51, 56 cm	•	•	•	•	•	•	•
WEIGHT (KG)in frame size Men 51cm Weight tolerance +/- 3%	Weight with Standard Fork	15,20	15,25	16,00	15,00	16,00	12,80	12,35
	Weight with Carbon Fork F 1010	13,65	13,70	14,45	13,70	14,50	12,55	12,10
FRAME	ALU ASC-9, triple butted	•	•	•	•	•	•	•
	Suntour CR-9V-LO, crown adjust, 63mm travel	•	•	•	•	•	minus 14	minus 14
	Rock Shox PARAGON GOLD, 65mm Travel	118	118	118	118	118	105	105
FORK	Rock Shox PARAGON GOLD DISC, 65mm Travel (only with disc brakes)	118	118	—	118	118	—	—
	Simplon F-1005 Alloy (not in combination with disc brakes)	14	14	14	14	14	•	•
	Simplon F-1010 Carbon (not in combination with disc brakes)	100	100	100	100	100	86	86
	Simplon F-10.2 Carbon (only with disc brakes)	137	137	—	137	137	—	—
HEADSET	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additonal Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•	•	•
SADDLE	Sportourer GARDA GEL FLOW Woman or Man depending on frame shape	•	•	•	•	•	—	—
	Sportourer ZOO FLOW Woman or Man depending on frame shape	◦	◦	◦	◦	◦	•	•
	Sportourer ZOO FLOW Woman / Man, Sportourer GARDA GEL FLOW Woman / Man	◦	◦	◦	◦	◦	◦	◦
SEATPOST	Simplon LITE ROD 3, 31.6 x 350 mm	•	•	•	•	•	•	•
	Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/31,6	27	27	27	27	27	27	27
	Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/31,6	77	77	77	77	77	77	77
HANDLEBAR	Simplon CX-3 CITYCROSS	•	•	•	•	•	◦	◦
	Simplon STRAIGHTBAR	◦	◦	◦	◦	◦	•	•
	Simplon CX-4 COMFORT	◦	◦	◦	◦	◦	◦	◦
STEM	Simplon MB-3, 80 x 17°	•	•	•	•	•	•	•
	Simplon MB-3, 100 x 17°, 120 x 8°	◦	◦	◦	◦	◦	◦	◦
	Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	◦	◦	◦	◦	◦	◦	◦
PEDALS	Simplon GRIP II, Alloy/ rubber	•	•	•	•	•	•	•
CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE 30-gears / Shimano DEORE / Shimano DEORE / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	•	—	—	—	—	•	—
	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	—	•	—	—	—	—	—
	Truvativ FIREX 42 T / Shimano ALFINE 11-gears / --- / --- / --- / Shimano CH-HG53	—	—	•	—	—	—	—
	Shimano DEORE XT 48/36/26 / DEORE XT 30-gears / DEORE XT / DEORE XT / CS-M771-10 11-34 / CN-HG95	—	—	—	•	—	—	•
	Truvativ FIREX 42 T / Rohloff 14-gears gripshift / --- / --- / --- / Shimano CH-HG53	—	—	—	—	•	—	—
RIM BRAKES	Shimano Deore V-Brake with Shimano Deore brake lever	•	—	—	—	—	•	•
	Magura HS-22 hydraulic rim brake	82	•	•	•	•	82	82
	Magura HS-33 RADIAL hydraulic rim brake	109	27	27	27	27	109	109



MODEL	SPOTLIGHT TREKKING	D30	XTX	A11	PRO	600	K1	K2
<b>WHEELSET</b>	Simplon 6.3, front hub dynamo Shimano DH-C3000, rear hub Shimano DEORE	•	•	—	—	—	—	—
Schwalbe MARATHON, Performance Line, LiteSkin, Reflex, foldable, 40-622	Simplon 6.3, front hub dynamo Shimano DH-C3000, rear hub Shimano ALFINE A11	—	—	•	—	—	—	—
	Simplon 6.3, front hub dynamo Shimano DH-C3000, rear hub Shimano DEORE XT	—	—	—	•	—	—	—
	Simplon 6.3, front hub dynamo Shimano DH-C3000, rear hub Rohloff SPEEDHUB 500	—	—	—	—	•	—	—
<b>WHEELSET</b>	Simplon 7.3, front hub dynamo Shimano DH-C3000, rear hub Shimano DEORE	—	—	—	—	—	•	—
Schwalbe MARATHON, Racer, Reflex, foldable, 30-622	Simplon 7.3, front hub dynamo Shimano DH-C3000, rear hub Shimano DEORE XT	—	—	—	—	—	—	•
<b>LIGHTS PACKAGES</b>	Lights Package 1	•	•	•	•	•	•	•
	Lights Package X1	82	82	82	82	82	82	82
	Lights Package 2	64	64	64	64	64	64	64
	Lights Package X2	127	127	127	127	127	127	127
<b>DISC BRAKES + LIGHTS PACKAGES</b>	Disc brakes Shimano BR-T446 with Lights package 4	182	86	—	82	118	—	—
(only possible with Fork Option SIMPLON F10.2 or Rock Shox Paragon Gold Disc)	Disc brakes Shimano BR-T446 with Lights package X4	164	150	—	146	182	—	—
	Disc brakes Shimano BR-M6000 with Light package 4	164	150	—	146	182	—	—
	Disc brakes Shimano BR-M6000 with Lights package X4	319	214	—	209	164	—	—
<b>MISC</b>	Kickstand HEBIE liteFIX 40 (0662 X1)	•	•	•	•	•	•	•
	Chainguard Horn CATENA KUNSTSTOFF	—	—	•	—	•	—	—
	Chainguard Horn CATENA ALU 48T	27	27	—	27	—	27	27
	Bike lock ABUS Shield 5650	32	32	32	32	32	32	32
	Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650)	26	26	26	26	26	26	26
	Mudguards SKS CAB 53mm, black matt	•	•	•	•	•	—	—
	Mudguards SKS CAB 45mm, black matt	—	—	—	—	—	•	•
	Carrier Racktime I-VALO Deluxe with LED rear light	•	•	•	•	•	•	•
	CLAMP-IT for Carrier Racktime	9	9	9	9	9	9	9
	Carrier Tubus LOGO EVO incl. rear light B&M Toplight 2C	27	27	27	27	27	27	27
	Carrier Tubus TARA LOWRIDER (only compatible with F-1005 Alloy Fork)	59	59	59	59	59	59	59

MODEL	SPOTLIGHT SPORT / CROSS	SPORT		CROSS		
		M1	M2	CD30	CXTX	CPR
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	1349	1749	1249	1549	1749
<b>COLOUR / SIZE</b>	Denim Blue Matt/ Black Glossy, Black Matt/ Black Glossy, Pearlwhite Glossy/ Silver Glossy Men 46, 51, 56, 61 cm / Women 41, 46, 51, 56 cm	•	•	•	•	•
<b>WEIGHT (KG)</b> in frame size Men 51cm Weight tolerance +/- 3%	Weight with Standard Fork Weight with Carbon Fork F 1010	10,75 10,45	10,30 10,05	12,85 11,30	12,85 11,30	12,65 11,10
<b>FRAME</b>	ALU ASC-9, triple butted	•	•	•	•	•
	Suntour CR-9V-LO, crown adjust, 63mm travel	minus 14	minus 14	•	•	•
	Rock Shox PARAGON GOLD, 65mm Travel	105	105	118	118	118
<b>FORK</b>	Rock Shox PARAGON GOLD DISC, 65mm Travel (only with disc brakes)	—	—	118	118	118
	Simplon F-1005 Alloy (not in combination with disc brakes)	•	•	14	14	14
	Simplon F-1010 Carbon (not in combination with disc brakes)	86	86	100	100	100
	Simplon F-10.2 Carbon (only with disc brakes)	—	—	137	137	137
<b>HEADSET</b>	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•
<b>SADDLE</b>	Sportourer ZOO FLOW Woman or Man depending on frame shape Sportourer ZOO FLOW Woman / Man, Sportourer GARDA GEL FLOW Woman / Man	• ◦	• ◦	• ◦	• ◦	• ◦
<b>SEATPOST</b>	Simplon LITE ROD 3, 31.6 x 350 mm Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/31,6 Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/31,6	• 27 77	• 27 77	• 27 77	• 27 77	• 27 77
<b>HANDLEBAR</b>	Simplon STRAIGHTBAR Simplon CX-3 CITYCROSS / CX-4 COMFORT / HI-BEAM	• ◦	• ◦	• ◦	• ◦	• ◦
<b>STEM</b>	Simplon MB-3, 80 x 17° Simplon MB-3, 100 x 17°, 120 x 8° Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	• ◦ ◦	• ◦ ◦	• ◦ ◦	• ◦ ◦	• ◦ ◦
<b>PEDALS</b>	Simplon 128 Alloy pedals	•	•	•	•	•
<b>CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN</b>	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE 30-gears / Shimano DEORE / Shimano DEORE / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54 Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54 Shimano DEORE XT 48/36/26 / DEORE XT 30-gears / DEORE XT / DEORE XT / CS-M771-10 11-34 / CN-HG95	• — —	— — •	• — —	— • —	— — •
<b>BRAKES</b>	Shimano Deore V-Brake with Shimano Deore brake lever Magura HS-22 hydraulic rim brake Magura HS-33 RADIAL hydraulic rim brake Shimano BR-T446 DISC, Rotor Ø180 / Ø180 (only possible with Fork Option SIMPLON F10.2 or Rock Shox Paragon Gold Disc) Shimano BR-M6000 DISC, Rotor Ø180 / Ø180 (only possible with Fork Option SIMPLON F10.2 or Rock Shox Paragon Gold Disc)	• 82 109 — —	• 82 109 — —	• 82 109 100 164	— • 27 91	— • 27 91
<b>WHEELSET</b> Schwalbe MARATHON, Race- Reflex, foldable, 30-622	Simplon 7.3, front hub Shimano DEORE, rear hub Shimano Deore Simplon 7.3, front hub Shimano DEORE XT, rear hub Shimano Deore XT	• —	— •	— —	— —	— —
<b>WHEELSET</b> MARATHON CROSS, Performance, RaceGuard, LiteSkin, Reflex, 40-622	Simplon 6.3, front hub Shimano DEORE, rear hub Shimano Deore Simplon 6.3, front hub Shimano DEORE XT, rear hub Shimano Deore XT	— —	— —	• —	• —	— •
<b>MISC</b>	Kickstand HEBIE liteFIX 40 (0662 X1) Chainguard Horn CATENA ALU 48T Bike lock ABUS Shield 5650 Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650) Mudguards SKS CAB 45mm, black matt Mudguards SKS CAB 53mm, black matt Carrier Racktime STAND-IT CLAMP-IT for Carrier Racktime	27 27 32 26 21 — 36 9	27 27 32 26 21 — 36 9	27 27 32 26 — 21 36 9	27 27 32 26 — 21 36 9	27 27 32 26 — 21 36 9

MODEL	ALULITE TREKKING	8L PREMIUM / 8R	D30	XTX	A11	PRO
<b>PRICE</b>	2018 Prices in GBP- recommended retail price incl. VAT.	1349	1349	1599	1799	1799
<b>COLOUR / SIZE</b>	Pearlwhite Glossy/ Anthracite Glossy, Black anodized / 40, 45, 51, 55 cm	•	•	•	•	•
<b>WEIGHT (KG)</b> in frame size Men 51cm Weight tolerance +/- 3%	Weight with Standard Fork	8L = 16,15 8R = 16,55	15,8	15,8	16,4	15,6
	Weight with Carbon Fork F 1010	8L = 14,6 8R = 15,0	14,3	14,25	15,0	14,05
<b>FRAME</b>	ALU 7005 SL, weight ca. 2.220g	•	•	•	•	•
	Suntour CR-9V-LO, crown adjust, 63mm travel	•	•	•	•	•
<b>FORK</b>	Rock Shox PARAGON GOLD, 65mm Travel	118	118	118	118	118
	Simplon F-1005 Alloy	14	14	14	14	14
	Simplon F-1010 Carbon	100	100	100	100	100
<b>HEADSET</b>	Acros AZX-200 (ZS44/28.6 x ZS44/30), 30mm Spacer Spacer (go to page 4 for additional Info) (optional 0mm / 10mm / 20mm / 40mm Spacer)	•	•	•	•	•
<b>SADDLE</b>	Sportourer GARDA GEL FLOW Woman	•	•	•	•	•
	Sportourer ZOO FLOW Woman / Man, Sportourer GARDA GEL FLOW Man	◦	◦	◦	◦	◦
<b>SEATPOST</b>	Simplon LITE ROD 3, 27.2 x 350 mm incl. bushing 27,2/30,2	•	•	•	•	•
	Post Moderne BRACER COMP (Suspension) incl. bushing 27,2/30,2	27	27	27	27	27
	Suntour NCX (Suspension) with tuning springs and neoprene cover incl. bushing 27,2/30,2	77	77	77	77	77
<b>HANDLEBAR</b>	Simplon CX-4 COMFORT	•	•	•	•	•
	Simplon CX-3 CITYCROSS / STRAIGHTBAR	◦	◦	◦	◦	◦
<b>STEM</b>	Simplon RSA, 110mm adjustable +/- 30° (Only permitted up to 110 kg rider weight)	•	•	•	•	•
	Simplon MB-3, 80 x 17°, 100 x 17°, 100x8°, 120 x 8°	◦	◦	◦	◦	◦
<b>PEDALS</b>	Simplon GRIP II, Alloy/ rubber	•	•	•	•	•
<b>CRANKSET, SHIFTLIVER, REAR DERAILLEUR, CASSETTE, CHAIN</b>	Shimano NEXUS 38 T / Shimano NEXUS 8-gears gripshift / --- / --- / --- / Shimano CN-HG53	•	—	—	—	—
	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE 30-gears / Shimano DEORE / Shimano DEORE / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	—	•	—	—	—
	Shimano DEORE FC-T6010 48/36/26 / Shimano DEORE XT 30-gears / Shimano DEORE XT / Shimano DEORE XT / Shimano CS-HG500-10, 11-34 / Shimano CN-HG54	—	—	•	—	—
	Truvativ FIREX 42 T / Shimano ALFINE 11-gears / --- / --- / --- / Shimano CH-HG53	—	—	—	•	—
	Shimano DEORE XT 48/36/26 / DEORE XT 30-gears / DEORE XT / DEORE XT / CS-M771-10 11-34 / CN-HG95	—	—	—	—	•
<b>RIM BRAKES</b>	Shimano Deore V-Brake with Shimano Deore brake lever	•	•	—	—	—
	Magura HS-22 hydraulic rim brake	82	82	•	•	•
	Magura HS-33 RADIAL hydraulic rim brake	109	109	32	32	32
<b>WHEELSET</b>	Simplon 6.3, front hub dynamo Shimano DH-C3000, rear hub NEXUS 8 light PREMIUM VERSION (8L) or Nexus 8 coaster brake (8R)	•	—	—	—	—
Schwalbe MARATHON, Racer, Reflex, foldable, 40-622	Simplon 6.3, front hub dynamo Shimano DH-C3000, rear hub Shimano DEORE	—	•	•	—	—
	Simplon 6.3, front hub dynamo Shimano DH-C3000, rear hub Shimano ALFINE A11	—	—	—	•	—
	Simplon 6.3, front hub dynamo Shimano DH-C3000, rear hub Shimano DEORE XT	—	—	—	—	•

MODEL	ALULITE TREKKING	8L PREMIUM / 8R	D30	XTX	A11	PRO
LIGHTS PACKAGES	Lights Package 1	•	•	•	•	•
	Lights Package X1	82	82	82	82	82
	Lights Package 2	64	64	64	64	64
	Lights Package X2	127	127	127	127	127
MISC	Kickstand HEBIE Lex (0630 X1)	•	•	•	•	•
	Chainguard Hebie CHAINGLIDER	•	—	—	•	—
	Chainguard Horn CATENA ALU 48T	—	27	27	—	27
	Bike lock ABUS Shield 5650	32	32	32	32	32
	Additional Chain ABUS Shield 5650 (only in combination with Option Bike lock ABUS Shield 5650)	26	26	26	26	26
	Mudguards SKS CAB 53mm, black matt	•	•	•	•	•
	Carrier Racktime I-VALO Deluxe with LED rear light	•	•	•	•	•
	CLAMP-IT for Carrier Racktime	9	9	9	9	9
Carrier Tubus LOGO EVO incl. rear light B&M Toplight View Plus	27	27	27	27	27	

## ROAD BIKE - FRAMESETS

**2018 PRICES IN GBP**

 recommended retail price  
incl. VAT.

<b>MR.T<sub>2</sub></b>	Frame with Fork, T2 Seat post, Headset, front and rear brake, T2 Cockpit incl. Stem, Basebar, Extensions and adjustment parts	4499
<b>PRIDE</b>	Frame with Fork, Nexio Seat post, Acros AiX-300 Headset, Cable guides	3649
<b>PAVO GRANFONDO DISC</b>	Frame with Fork, Pavo GF Seat post, Acros AiX-324 Headset, Cable guides	2699
<b>PAVO GRANFONDO SL</b>	Frame with Fork, Pavo GF Seat post, Acros AiX-324 Headset, Cable guides	2599
<b>PAVO GRANFONDO</b>	Frame with Fork, Pavo GF Seat post, Acros AiX-324 Headset, Cable guides	2199
<b>KIARO</b>	Frame with Fork, Acros AiX-26 Headset, seat post clamp, Cable guides	1749
<b>INISSIO</b>	Frame with Fork, Acros AiX-324 Headset, seat post clamp, Cable guides, RWS Axles front and rear	2149
<b>SEAT POST MONO ROD SL</b>	Simplon Carbon-Seat post with high flex, 27,2 x 320 mm, incl. adapter for standard rails	172
<b>SEAT POST PAVO GF FLATBACK</b>	Simplon Carbon-Seat post for Pavo GF, Pavo GF SL, Pavo GF Disc with 15mm setback	145
<b>SEAT POST PAVO GF ZERO SETBACK</b>	Simplon Carbon-Seat post for Pavo GF, Pavo GF SL, Pavo GF Disc without setback	145
<b>SEAT POST PRIDE</b>	Simplon Carbon-Seat post for PRIDE	245

## MOUNTAINBIKE - FRAMESETS

**2018 PRICES IN GBP**

 recommended retail price  
incl. VAT.

<b>RAPCON 140</b>	Frame with rear shock Rock Shox DELUXE RT-3, Acros AZX-219 Blocklock Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle	2849
<b>RAPCON 160</b>	Frame with rear shock Rock Shox DELUXE RT-3, Acros AZX-219 Blocklock Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle	2899
<b>CIREX 120</b>	Frame with rear shock Rock Shox DELUXE RT-3, Acros AZX-219 Blocklock Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle	2749
<b>KIBO 275 ALU</b>	Frame with rear shock Rock Shox MONARCH RT-3, Acros AZX-201 Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle	1499
<b>SENGO 275</b>	Frame with Acros AZX-219 Headset, seat post clamp, Cable guides, Rock Guard, T-Axle 12mm rear axle	1549
<b>RAZORBLADE 29</b>	Frame with Acros AZX-219 Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle Shimano	1649
<b>RAZORBLADE 29 SL</b>	Frame with Acros AZX-219 Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle Shimano	2149
<b>RAZORBLADE 275</b>	Frame with Acros AZX-219 Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle	1599
<b>CURE 29</b>	Frame with Acros AZX-201 Headset, seat post clamp, Cable guides, 135 x 9 mm quick release	649
<b>E-DILLY 275</b>	Frame with Acros AZX-201 Headset, seat post clamp, Cable guides, Rock Guard, T-Axle 12mm rear axle	749
<b>STEAMER CARBON</b>	Frame with rear shock Rock Shox DELUXE RT-3, Acros AZX-229 Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle Shimano	4999
<b>STEAMER ALU</b>	Frame with rear shock Rock Shox DELUXE RT, Acros AZX-201 Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle Shimano	3499
<b>STEAMER COMPACT</b>	Frame with rear shock Rock Shox DELUXE RT, Acros AZX-201 Headset, seat post clamp, Cable guides, T-Axle 12mm rear axle Shimano	3499
<b>SEATPOST CARBON ROD SL</b>	Simplon Carbon-Seat post with high flex, Sizes: 27,2 x 400 mm / 31,6 x 400 mm	132
<b>MTB RIGID FORK SIMPLON XC-9</b>	Simplon full carbon Rigid Fork, 1.5 Taper, 15QR, Matt black incl. Adapter and insert for Carbon Forks	479

## ACTIVE LIFESTYLE- FRAMES

**2018 PRICES IN GBP**  
recommended retail price  
incl. VAT

<b>SILKCARBON</b>	Frame without Fork, with Acros AZX-200 Headset, Seat post clamp, Cable guides	1399
<b>CHENOA HS</b>	Frame without Fork, with Acros AZX-201 Headset, Seat post clamp, Cable guides	1449
<b>CHENOA UNI</b>	Frame without Fork, with Acros AZX-201 Headset, Seat post clamp, Cable guides	1499
<b>SILKCARBON NEODRIVES</b>	Frame without Fork, with carrier, fenders, Acros AZX-201 Headset, Seat post clamp, Cable guides	2999
<b>KAGU BOSCH</b>	Frame with Fork, with Acros AZX-229 Headset, Seat post clamp, Cable guides	1199
<b>KAGU FOR DERAILLEUR GEARS</b>	Frame with Simplon F.06 Alloy Fork, with Acros AZX-200 Headset, Seat post clamp, Cable guides	699
<b>KAGU FOR REAR HUB GEAR BOXES</b>	Frame with Simplon F.06 Alloy Fork, with Acros AZX-200 Headset, Seat post clamp, Cable guides	709
<b>SPOTLIGHT</b>	Frame without Fork, with Acros AZX-200 Headset, Seat post clamp, Cable guides	599
<b>ALULITE</b>	Frame without Fork, with Acros AZX-200 Headset, Seat post clamp, Cable guides	449

## FORKS / SEAPOSTS ACTIVE LIFESTYLE

<b>FORK F-1005</b>	Simplon Alloy Fork, black, for Rim Brakes only	199
<b>FORK F-1010</b>	Simplon full Carbon Fork, UD Carbon Matt, for Rim Brakes only, incl. Insert for Carbon Fork	345
<b>FORK F-10.2 (STANDARD ON SILKCARBON)</b>	Simplon full Carbon Fork, UD Carbon Matt, Disc brakes only, incl. Insert for Carbon Fork	345
<b>FORK F-10.3 (STANDARD ON CHENOA HS &amp; UNI)</b>	Simplon full Carbon Fork, UD Carbon Matt or Pearlwhite, Disc brakes only, incl. Insert for Carbon Fork	345
<b>FORK F-10.3 (STANDARD ON SILKCARBON NEODRIVES)</b>	Simplon full Carbon Fork, UD Carbon Matt, Disc brakes only, incl. Insert for Carbon Fork	345
<b>SEAT POST CARBON ROD VT</b>	Simplon Carbon-Seat post with high flex, Size: 27,2 x 320 mm	132

**APPAREL****SIMPLON APPAREL IS AVAILABLE AT SELECTED DEALERS****2018 PRICES IN GBP**recommended retail price  
incl. VAT

<b>SIMPLON APPAREL</b>	<b>LIGHTWEIGHT JERSEY</b>	black/white	Sizes S, M, L, XL, 2XL	89,00
	<b>BIB SHORTS</b>	black/gray	Sizes S, M, L, XL, 2XL	119,00
	<b>WIND VEST</b>	black/white	Sizes S, M, L, XL, 2XL	79,00
	<b>WIND JACKET</b>	black/white	Sizes S, M, L, XL, 2XL	119,00
	<b>HOODIE</b>	gray	Sizes S, M, L, XL, 2XL	89,00
	<b>MTB SHIRT</b>	cosmic red, black	Sizes S, M, L, XL, 2XL	69,00
	<b>MTB PANT</b>	black	Sizes S, M, L, XL, 2XL	89,00
	<b>COMPOSING T-SHIRT</b>	gray	Sizes S, M, L, XL, 2XL	26,50
	<b>TRUCKER CAP</b>			17,50
	<b>BEANIE</b>			17,00
	<b>SOCKS</b>	white/black, white/blue, black	Sizes 36-38, 39-41, 42-44, 45-47	7,90

## TECHNICAL DATA ROAD BIKE

### ROAD BIKE WHEELSET

	WEIGHT
MAVIC AKSIUM ELITE	2.575 g
MAVIC KSYRIUM BLACK	2.485 g
MAVIC KSYRIUM ELITE BLACK	2.320 g
DT SWISS PR1400 DICUT OXIC 21	2.145 g
DT SWISS PR1400 DICUT OXIC 21 TUBELESS	2.165 g
DT SWISS PRC1400 SPLINE 35	2.130 g
DT SWISS PRC1400 SPLINE 35 TUBELESS	2.135 g
ZIPP 808 FIRECREST 77/177	2.585 g

Weight for Wheelset with Clincher tyres SCHWALBE ONE EVO 25mm incl. quick release axle  
 „TUBELESS“ Options with SCHALBE PRO ONE TUBELESS System incl. 2x30ml mounting fluid

### ROAD BIKE SEAT POST

	SIZE	WEIGHT
SIMPLON MONO ROD SL	27.2x320	185 g
SIMPLON PRIDE	350mm	200 g
SIMPLON PAVO GRAN FONDO	400mm	245 g
SIMPLON T2 POST (MR.T2)	390mm	245 g

### ROAD BIKE WHEELSET DISC

	WEIGHT
DT SWISS P1800 SPLINE 23 DB	2.210 g
DT SWISS PR1600 SPLINE 32 DB	2.360 g
DT SWISS PR1600 SPLINE 32 DB TUBELESS	2.370 g
DT SWISS PR1400 DICUT 21 DB	2.045 g
DT SWISS PR1400 DICUT 21 DB TUBELESS	2.055 g
DT SWISS PRC1400 SPLINE 35 DB	2.025 g
DT SWISS PRC1400 SPLINE 35 DB TUBELESS	2.035 g
DT SWISS ARC1100 DICUT 62 DB	
DT SWISS ARC1100 DICUT 62 DB TUBELESS	

Weight for Wheelset with Clincher tyres SCHWALBE EVO ONE 25mm incl. axle  
 „TUBELESS“ Options with SCHALBE PRO ONE TUBELESS System incl. 2x30ml mounting fluid

### ROAD BIKE FORK

	WEIGHT
SIMPLON S7.1 (KIARO)	360 g
SIMPLON PRIDE	390 g
SIMPLON PAVO GRANFONDO / PAVO GRANFONDO SL	320 g
SIMPLON PAVO GRANFONDO DISC	345 g
SIMPLON INISSIO	420 g
SIMPLON MR.T2	435 g

Weight with 225 mm long shaft. For MR.T2 shaft lengths for size M

## TECHNICAL DATA

<b>HEADSET</b>	top IS42/28.6, bottom IS47/33 (except MR.T2 and PRIDE)	
<b>BB BEARING</b>	BB 86.5 Pressfit	
<b>FRONT DERAILLEUR</b>	brazed on type	
<b>SEATPOST</b>	27.2 mm / KIARO, INISSIO, PRIDE (mit Adapter)	
	PAVO GF / PAVO GRANFONDO / GRANFONDO SL	
	T2 POST / MR.T2	
<b>WEIGHT FRAME*</b>	PRIDE	ca. 920 g (size 55)
	MR.T2	ca. 1.380 g (size M)
	PAVO GRANFONDO DISC	ca. 950 g (size 55)
	PAVO GRANFONDO SL	ca. 870 g (size 55)
	PAVO GRANFONDO	ca. 1.090 g (size 55)
	KIARO	ca. 1.120 g (size 55)
	INISSIO	ca. 1.130 g (size 55)

Weight in lightest frame colour incl. dropout and cable guides, without seat post clamp  
 Integrated Seat Post Clamp: MR.T2 +38g, Pavo GF, Pavo GF SL and Pavo GF Disc +48g



## TECHNICAL DATA ROAD BIKE

MR.T <sub>2</sub>	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
XS	505	485	72,5	74° - 81°	64	400	943	75	376	45	759	480	374	1,28
S	570	510	73°	74° - 81°	83	400	965	75	376	45	821	500	395	1,27
M	590	530	73°	74° - 81°	103	400	989	75	376	45	841	519	413	1,26
L	610	554	73°	74° - 81°	123	400	1014	75	376	45	860	538	430	1,25


PRIDE	A	B	C	D	E**	F	G	H	I	K	M	S**	R**	STR**
46	463	530	71,5°	73,5°	130	410	976	77	368	45	740	530	374	1,417
49	470	543	71,9°	73,4°	130	410	983	77	368	45	743,8	535	383	1,371
52	486	557	73,0°	73,0°	135	410	984	74	368	45	761	544	391	1,391
55	505	568	73,0°	73,0°	153	410	995	74	368	45	777	562	396	1,419
58	525	579	73,0°	73,0°	175	410	1006	74	368	45	796	582	401	1,451
61	539	595	73,0°	73,0°	195	410	1022	74	368	45	813	602	411	1,465

PAVO GRANFONDO DISC PAVO GRANFONDO	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
46	410	505	71	75	100*	415	978	75	390	48	690	523	365	1,43
49	440	520	72,5	75	125*	415	986	75	390	48	719	552	372	1,48
52	470	530	72,5	75	145*	415	992	75	390	48	747	571	377	1,51
55	500	565	72,5	73	165*	415	1006	75	390	48	774	590	385	1,53
58	530	575	72,5	73	185*	415	1011	75	390	48	801	609	388	1,57
61	560	590	72,5	73	205*	415	1031	75	390	48	827	628	398	1,58

PAVO GRANFONDO SL	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
49	440	520	72,5	75	125*	415	986	75	390	48	719	552	372	1,48
52	470	530	72,5	75	145*	415	992	75	390	48	747	571	377	1,51
55	500	565	72,5	73	165*	415	1006	75	390	48	774	590	385	1,53
58	530	575	72,5	73	185*	415	1011	75	390	48	801	609	388	1,57

KIARIO	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
47	470	510	71,5°	75°	120	405	965	75	370	45	707	525	369	1,42
51	510	530	72°	75°	145	405	982	75	370	45	740	551	382	1,44
55	550	555	73°	73°	180	415	989	70	370	45	774	583	377	1,55
58	580	575	73°	73°	210	415	1010	70	370	45	801	612	388	1,58
62	620	590	73°	73°	230	415	1025	70	370	45	834	630	397	1,59

INIISIO	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
47	470	525	72°	74,5°	110*	425	995	67	390	45	726	529	378	1,40
51	510	540	72°	74,5°	135*	425	1012	67	390	45	760	552	387	1,43
55	550	555	72,5°	74°	165*	425	1017	67	390	45	796	583	388	1,50
58	580	580	73°	73,5°	200*	425	1032	67	390	45	822	618	397	1,56
62	620	595	73°	73,5°	230*	425	1047	67	390	45	841	642	405	1,59



- A** Frame size mm
  - B** Top tube length
  - C** Head tube angle
  - D** Seat tube angle
  - E** Head tube length
  - F** Chainstay length
  - G** Wheelbase
  - H** Bottom bracket drop
  - I** Fork length
  - K** Fork offset (rake)
  - M** Stand over height
  - R** Reach
  - S** Stack
  - STR\*** Stack to Reach
- \* The higher the number, the more upright is the seating position.

\* ATTENTION: PAVO GRANFONDO, PAVO GRANFONDO SL and INISIO have a 20mm longer Fork and return a 20mm shorter Head tube. In order to compare the geometry with other frames, you must add 20mm to the head tube length of these frames.

Due to the integrated seat tube clamp, the actual height of „A“ is shorter as the given frame size in the geometry chart. This applies to the models PAVO GRANFONDO, PAVO GRANFONDO SL and PAVO GRANFONDO DISC.

For aerodynamic reasons, the top tube of MR.T2 is positioned relatively high and results in a longer seat tube - measurement „A“. Please use the values for „R“ Reach and „S“ Stack to find your optimal seating position and frame size.

MR.T2 Framesets are optimized for the assembly of Shimano Di2 Shifting components. However, building the bike with mechanical groupsets is also possible.

\*\* Headtube length, as well as STACK and REACH values are virtual. They refer to the virtual height of construction with a classic stem, handlebar and headset cap and are thus comparable with other frame geometries.

# FORKS MOUNTAINBIKE

BRAND	MODEL	WEIGHT	WEIGHT	AVAILABLE WITH MODEL	FEATURES
ROCK SHOX	<b>REBA 27.5 RL*</b>	1.625 g	100 mm	RAZORBLADE 275, SENGO 275, E-DILLY 275	Rapid Recovery Rebound, Remote Lockout OneLoc
ROCK SHOX	<b>REBA 29 RL*</b>	1.670 g	100 mm	RAZORBLADE 29 & SL, CURE 29	Rapid Recovery Rebound, Remote Lockout OneLoc
ROCK SHOX	<b>SID 29 RL</b>	1.605 g**	100 mm	RAZORBLADE 29 & SL, CURE 29	Rapid Recovery Rebound, Motion Control, Remote Lockout OneLoc
FOX	<b>32 STEPCAST 29 PERFORMANCE ELITE*</b>	1.500 g	100 mm	RAZORBLADE 29 & SL, CURE 29	FIT 4 Damper, Rapid Recovery Rebound Low Speed Compression with 3-Position Remote
ROCK SHOX	<b>REBA 29 RL Boost*</b>	1.760 g	120 mm	CIREX 120	Rapid Recovery Rebound, Lockout with Remote OneLoc
ROCK SHOX	<b>RS-1 29*</b>	1.645 g	120 mm	CIREX 120	Upside-Down Fork with Predictive Steering (requires dedicated wheel) Rapid Recovery Rebound, Lockout with Remote OneLoc
FOX	<b>32 FLOAT 29 PERFORMANCE ELITE Boost*</b>	1.715 g**	120 mm	CIREX 120	FIT 4 Damper, Rapid Recovery Rebound Low Speed Compression with 3-Position Remote
ROCK SHOX	<b>REVELATION 27.5 RC Boost</b>	1.950 g	130 mm	KIBO 275 ALU, STEAMER COMPACT	Rapid Recovery Rebound, Motion Control, Low Speed Compression with Crown Adjust
ROCK SHOX	<b>REVELATION 29 RC Boost</b>	1.955 g	140 mm	RAPCON 140	Rapid Recovery Rebound, Motion Control, Low Speed Compression with Crown Adjust
FOX	<b>34 FLOAT 27.5+ PERFORMANCE ELITE</b>	1.830 g	140 mm	RAPCON 140	Fit 4 Damper, Rapid Recovery Rebound Low Speed Compression with Crown Adjust
ROCK SHOX	<b>YARI 29 RC Boost</b>	2.2080 g	150 mm	STEAMER CARBON, STEAMER ALU	Rapid Recovery Rebound, Motion Control, Low Speed Compression with Crown Adjust
ROCK SHOX	<b>YARI 29 RC Boost</b>	2.085 g	160 mm	RAPCON 160	Rapid Recovery Rebound Low Speed Compression with Crown Adjust
FOX	<b>36 FLOAT 27.5+/29 PERFORMANCE ELITE</b>	2.050 g**	160 mm	RAPCON 160	Fit 4 Damper, Rapid Recovery Rebound Low Speed Compression with Crown Adjust
ROCK SHOX	<b>PIKE 29 RC Boost</b>	2.100 g	160 mm	RAPCON 160, STEAMER CARBON, STEAMER ALU	Air Charger Damper, Rapid Recovery Rebound Low Speed Compression with Crown Adjust
SIMPLON	<b>XC-9</b>	705 g	0 mm	CURE 29, RAZORBLADE 29 & 29 SL, SENGO URBAN	Light Carbon Rigid Fork with 15QR through axle

Weight for all Forks with 185mm shaft length, 1.5 Tapered shaft and 15QR thru axle. Forks with carbon forks incl. Insert.

\* Weight incl. Remote      \*\*according to manufacturers information

## TECHNICAL DATA MOUNTAINBIKE

### MOUNTAINBIKE WHEELSETS

27.5" 15QR FRONT, 12X148MM REAR	WEIGHT
SIMPLON AXM-1750 27.5 25MM RIM	1.875 g
SIMPLON AXM-1750 27.5 35MM RIM	2.110 g
DT SWISS H1900 SPLINE 27.5	2.100 g
DT SWISS XM 1501 SPLINE ONE 27.5	1.740 g
27.5" 15QR FRONT, 12X142MM REAR	WEIGHT
SIMPLON AXM-1750 27.5	1.865 g
DT SWISS XM 1501 SPLINE ONE 27.5	1.725 g

29" 15QR FRONT, 9MM QR REAR	WEIGHT
SIMPLON AXM-1750 29	1.915 g
DT SWISS XM 1501 SPLINE ONE 29	1.600 g

29" 15QR FRONT, 12X142MM REAR	WEIGHT
SIMPLON AXM-1750 29	1.915 g
DT SWISS XM 1501 SPLINE ONE 29	1.610 g
DT SWISS XRC 1200 SPLINE ONE 29	1.450 g

29" 15QR FRONT, 12X148MM REAR	WEIGHT
SIMPLON AXM-1750 29	1.925 g
DT SWISS XM 1501 SPLINE ONE 29	1.715 g
DT SWISS XRC 1200 SPLINE ONE 29	1.530 g

29" PREDICTIVE STEERING FÜR RS1	WEIGHT
DT SWISS XR 1501 SPLINE ONE 29	1.710 g
DT SWISS XRC 1200 SPLINE ONE 29	1.535 g

Weight per Wheelset incl. Rim tape, without tyres, without Rear thru axle or quick release

### MOUNTAINBIKE BRAKES

	ROTOR F / R	WEIGHT
Shimano M 6000	180 / 180	930 g
Shimano DEORE XT ICE-Tech	180 / 180	875 g
Shimano DEORE XT ICE-Tech	203 / 180	920 g
Shimano XTR Disk ICE-Tech	180 / 160	700 g
Magura MT-7	203 / 180	910 g
Magura MT-8	180 / 180	690 g

Weight per set front & rear brake incl. adapter to 160mm Postmount

### MOUNTAINBIKE REAR SHOCK

	DIMENSION	WEIGHT
Rock Shox DELUXE RT3	190mm, 45mm travel	330 g
Rock Shox DELUXE RL REMOTE	190mm, 45mm travel	330 g
Fox FLOAT DPS Performance Elite	190mm, 45mm travel	290 g
Rock Shox DELUXE RT Trunnion	185mm, 50mm travel	345 g
Rock Shox MONARCH RT	190mm, 51mm travel	255 g
Rock Shox MONARCH RT3	190mm, 51mm travel	265 g
Rock Shox DELUXE RT3	210mm, 55mm travel	350 g
Rock Shox DELUXE RT3 Trunnion	185mm, 55mm travel	350 g
Rock Shox DELUXE RT3	230mm, 65mm travel	360 g
Rock Shox SUPER DELUXE RC3	230mm, 65mm travel	480 g

\* Weight incl. Remote cable

### MOUNTAINBIKE SEATPOSTS

	SIZE	WEIGHT
SIMPLON Lite Rod 3	27.2x400	290 g
SIMPLON Lite Rod 3 bzw. ST	31.6x350	275 g
SIMPLON CarbonROD ST	27.2x400	220 g
SIMPLON CarbonROD ST	31.6x400	240 g
Kindshock LEV DX, travel125mm	31.6x385	550 g*
Kindshock LEV INTEGRA, travel125mm	31.6x392	560 g*
Kindshock LEV INTEGRA, travel150mm	31.6x442	590 g*
Kindshock LEV INTEGRA, travel100mm	27.2x410	530 g*

\* Weight incl. Remote

### TECHNICAL DATA

<b>HEADSET</b>	Standard (exceptions below)	top ZS44 / 28.6 bottom ZS55 / 40
	STEAMER ALU, STEAMER COMPACT, STEAMER CARBON	top ZS55/30 bottom ZS55/40
<b>BB-BEARING</b>	BB 92 Pressfit (except E-MTB)	
<b>FRONT DERAIL-LEUR</b>	Direct M. Sideswing	RAPCON 160, RAPCON 140, CIREX 120
	E-Type Sideswing	KIBO 275 ALU
<b>SEATPOST</b>	Band 34.9 Sideswing	RAZORBLADE 275, RAZORBLADE 29, RAZORBLADE 29 SL
	Band 34.9 Topswing	CURE 29
	27.2 mm:	RAZORBLADE 29 /SL, RAZORBLADE 275, CURE 29, SENGO 275, E-DILLY 275
<b>WEIGHT*</b>	31.6 mm:	RAPCON 160, RAPCON 140, CIREX 120, KIBO 275 ALU, CURE 29
	31.6 mm:	CURE 29, STEAMER ALU, STEAMER COMPACT, STEAMER CARBON
<b>WEIGHT*</b>	RAPCON 160	ca. 2.250 g (size M)
	CIREX 120	ca. 1.940 g (size L)
	RAPCON 140	ca. 2.250 g (size M)
	KIBO 275 ALU	ca. 3.340 g (size 45)
	RAZORBLADE 29 SL	ca. 960 g (size M)
	RAZORBLADE 29	ca. 1.220 g (size M)
	RAZORBLADE 275	ca. 1.075 g (size S)
	CURE 29	ca. 1.960 g (size L)
	DILLY GIRL 275	ca. 1.855 g (size 38cm)
	SENGO 275	ca. 1.690 g (size 45cm)
STEAMER ALU	ca. 4.710 g (size M)	
STEAMER COMPACT	ca. 4.650 g (size S)	
STEAMER CARBON	ca. 4.020 g (size M)	
E-DILLY 275	ca. 2.940 g (size 45cm)	

\*Weight in lightest frame colour, incl. Dropout and protective foils. Full-Suspension Frames incl. Shock mount hardware. Without Rear Shock & Seatpost Clamp, E-MTB incl. RockGuard.

## TECHNICAL DATA MOUNTAINBIKE

RAZORBLADE 29 / 29SL	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
S	390	575	70,5°	73,5°	100	432	1066	60	506	46	100	727	0	616	393	1,57
M	440	590	70,5°	73,5°	105	432	1081	60	506	46	100	763	0	621	406	1,53
L	490	610	70,5°	73,5°	110	432	1099	65	506	46	100	794	0	630	423	1,49
XL	540	630	70,5°	73,5°	120	432	1120	65	506	46	100	824	0	640	441	1,45

RAZORBLADE 275	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
XS	380	560	70°	73,5°	85	430	1160	30	487	42	100	715	0	555	396	1,40
S	420	570	70°	73,5°	85	430	1170	30	487	42	100	753	0	555	406	1,37
M	460	585	70°	73,5°	100	430	1187	30	487	42	100	766	0	569	416	1,37

CIREX 120	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
S	395	570	69,5°	74°	90	450	1108	30	526	46	120	751	110	591	401	1,47
M	430	590	69,5°	74°	100	450	1129	30	526	46	120	751	110	600	418	1,44
L	470	610	69,5°	74°	115	450	1150	30	526	46	120	773	110	614	434	1,41
XL	525	630	69,5°	74°	125	450	1171	30	526	46	120	773	110	624	451	1,38


CURE 29	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
M	410	585	70,5°	73°	100	440	1074	70	506	46	100	749	0	629	393	1,60
L	460	610	70,5°	73°	110	440	1099	70	506	46	100	780	0	637	416	1,53
XL	510	630	70,5°	73°	120	440	1120	70	506	46	100	812	0	647	431	1,50
XXL	560	650	70,5°	73°	130	440	1140	70	506	46	100	847	0	657	449	1,46

KIBO 275 ALU	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
38	380	560	69°	73,5°	100	445	1201	10	519	42	130	738	130	562	407	1,38
45	450	585	69°	73,5°	115	445	1128	10	519	42	130	736	130	576	429	1,34
50	500	610	69°	73,5°	130	445	1153	10	519	42	130	766	130	590	450	1,31
55	550	640	69°	73,5°	150	445	1186	10	519	42	130	805	130	608	460	1,32


RAPCON 140	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
S	385	552	66,8°	75,3°	90	430/440	1129	13/19	551	51	140	747	140	582	399	1,46
M	435	592	66,8°	75,3°	100	430/440	1170	13/19	551	51	140	747	140	591	437	1,35
L	485	617	66,8°	75,3°	115	430/440	1197	13/19	551	51	140	750	140	605	458	1,32
XL	535	637	66,8°	75,3°	130	430/440	1220	13/19	551	51	140	794	140	619	475	1,30

RAPCON 160	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
S	385	575	66°	74,5°	90	430/440	157	6/12	571	51	160	755	160	589	412	1,43
M	435	595	66°	74,5°	100	430/440	1179	6/12	571	51	160	755	160	598	429	1,39
L	485	620	66°	74,5°	115	430/440	1206	6/12	571	51	160	757	160	612	450	1,36
XL	535	640	66°	74,5°	130	430/440	1228	6/12	571	51	160	802	160	626	466	1,34

### HARDTAIL



### FULLY



- A** Frame size mm
  - B** Top tube length
  - C** Head tube angle
  - D** Seat tube angle
  - E** Head tube length
  - F** Chainstay length
  - G** Wheelbase
  - H** Bottom bracket drop
  - I** Fork length
  - K** Fork offset (rake)
  - L** Fork travel
  - M** Stand over height
  - N** Travel (Frame)
  - R** Reach
  - S** Stack
  - STR\*** Stack to Reach
- \* The higher the number, the more upright is the seating position.

## TECHNICAL DATA MOUNTAINBIKE

STEAMER CARBON	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
S	400	580	67°	74°	120	440	1154	15	561	51	150	749	150	622	402	1,55
M	440	600	67°	74°	120	440	1174	15	561	51	150	750	150	622	422	1,47
L	480	620	67°	74°	130	440	1196	15	561	51	150	751	150	631	439	1,44
XL	520	640	67°	74°	140	440	1217	15	561	51	150	768	150	640	456	1,40

STEAMER ALU	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
S	390	580	67°	74°	120	440	1154	15	561	51	150	712	150	622	402	1,55
M	440	600	67°	74°	120	440	1174	15	561	51	150	745	150	622	422	1,47
L	480	620	67°	74°	130	440	1196	15	561	51	150	775	150	631	439	1,44
XL	520	640	67°	74°	140	440	1217	15	561	51	150	785	150	640	456	1,40

STEAMER COMPACT	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
XS	380	550	67,5°	74,5°	110	440	1112	18,6	522	46	130	673	130	585	388	1,51
S	400	570	67,5°	74,5°	120	440	1133	18,6	522	46	130	675	130	594	405	1,47
M	440	585	67,5°	74,5°	130	440	1149	18,6	522	46	130	702	130	603	418	1,44

SENGO 275	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
40	400	555	70,0°	72,5°	95	470	1081	40	487	42	100	734	0	573	374	1,53
45	450	595	70,0°	72,5°	100	470	1122	40	487	42	100	768	0	577	413	1,40
50	500	610	70,0°	72,5°	120	470	1137	40	487	42	100	794	0	596	422	1,41
55	550	640	70,0°	72,5°	145	470	1169	40	487	42	100	823	0	620	445	1,39

E-DILLY 275	A	B	C	D	E	F	G	H	I	K	L	M	N	S	R	STR
40	400	550	70,5°	72,5°	110	470	1079	20	487	42	100	749	0	569	371	1,53
45	450	585	70,5°	72,5°	110	470	1114	20	487	42	100	781	0	569	406	1,40
50	500	610	70,5°	72,5°	130	470	1135	20	487	42	100	817	0	588	420	1,40
55	550	635	70,5°	72,5°	150	470	1166	20	487	42	100	858	0	606	444	1,36

## TECHNICAL DATA ACTIVE LIFESTYLE

### ACTIVE LIFESTYLE FORK

RIGID FORK 700C	BRAKE	MODEL	WEIGHT
SIMPLON F 10.2 CARBON*	Disc Only	SILKCARBON	ca. 550 g
SIMPLON F 1010 CARBON*	Rim brake	Option	ca. 575 g
SIMPLON F 1005 ALU	Rim brake	Option	ca. 840 g
SIMPLON F 10.3 CARBON*	Disc Only	CHENOA/ SILKCARBON NEODRIVES	ca. 550 g
SIMPLON INISSIO	Disc Only	INISSIO	ca. 580 g

\* Weight incl. Insert for carbon fork

RIGID FORK 26"	BRAKE	MODEL	WEIGHT
SIMPLON F .06 ALU	Disc/Rim brake	KAGU	ca. 910 g
SIMPLON F .07 ALU	Disc Only	KAGU BOSCH	

SUSPENSION FORK 700C	BRAKE	MODEL	WEIGHT
SUNTOUR CR-9V-LO	Rim brake	see Pricelist	ca. 2.130 g
ROCKSHOX PARAGON GOLD	Disc Only	see Pricelist	ca. 1.850 g
ROCKSHOX PARAGON GOLD	Rim brake	see Pricelist	ca. 1.900 g

Weight with 225mm shaft length, without axle

### ACTIVE LIFESTYLE SEAT POST

	SIZE	WEIGHT
SIMPLON LITE ROD 3	27.2x320	265 g
SIMPLON LITE ROD 3	31.6x350	275 g
SIMPLON CARBON ROD VT	27.2x320	205 g
POST MODERN BRACER COMP (SUSPENSION)	27.2x320	400 g
SUNTOUR SP12-NCX	27.2x320	790 g
KINDSHOCK LEV INTEGRA, HUB100MM*	27.2x410	530 g

\* Weight incl. Remote

### TECHNICAL DATA / TECHNICAL DATA

<b>HEADSET</b>	Standard (exceptions below)	top ZS44/28.6 bottom ZS44/30
	INISSIO	top ZS44/28.6 bottom IS47/33
	CHENOA, SILKCARBON NEO- DRIVES	top ZS44/28.6 bottom ZS55/4
<b>BB BEARING</b>	KAGU BOSCH	top ZS55/30 bottom ZS55/40
	Standard (exceptions below)	BSA68 mm width
	INISSIO, SILKCARBON NEO- DRIVES	BB 86.5 Pressfit
<b>FRONT DERAILLEUR</b>	Standard (exceptions below)	34.9 Band type, Downswing
	INISSIO	braze on type
	27.2 mm: SILKCARBON NEODRIVES, SILKCARBON, INISSIO, CHENOA HS, CHENOA UNI	
<b>SEATPOST</b>	30.2 mm: ALULITE	
	31.6 mm: KAGU BOSCH, KAGU, SPOTLIGHT	
	SILKCARBON	ca. 1.250 g (size 51)
	SILKCARBON	ca. 1.390 g (size 46)
	INISSIO:	ca. 1.130 g (size 55)
	SPOTLIGHT:	ca. 1.940 g (size 51)
	KAGU:	ca. 2.040 g (size 51)
	ALULITE:	ca. 2.230 g (size 45)
	CHENOA HS:	ca. 1.790 g (size 51)
	CHENOA UNI:	ca. 1.820 g (size 47)
SILKCARBON NEODRIVES:	ca. 2.030 g (size 51)	
KAGU BOSCH:	not available at the time of publi- cation	

Weight without seat post clamp, cable guides and screws, in lightest frame colour

## TECHNICAL DATA ACTIVE LIFESTYLE

CHENOVA UNI	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
40		585	69°	73°	150	490	1138	75	465	45		633	391	1,62
47	470	600	69°	73°	165	490	1154	75	465	45		647	402	1,61
54	540	615	69°	73°	180	490	1170	75	465	45		661	413	1,60

CHENOVA HS	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
46	460	580	70°	73°	120	490	1120	75	465	45	733	609	394	1,55
51	510	600	70°	73°	135	490	1141	75	465	45	787	623	409	1,52
56	560	615	71°	73°	150	490	1146	75	465	45	829	642	419	1,53
61	610	630	71°	73°	170	490	1161	75	465	45	854	660	428	1,54


KAGU BOSCH	A	B	C	D	E	F	G	H	I	K	M	S	R	STR	
Women	XS	400	580	69,0	72,5	190	475	1126	60	450	50	569	640	378	1,69
	S	460	585	69,0	72,5	190	475	1131	60	450	50	571	640	383	1,67
	M	510	590	69,0	72,5	200	475	1136	60	450	50	573	649	385	1,68
	L	560	595	69,0	72,5	200	475	1141	60	450	50	596	649	390	1,66
Men	S	460	585	69,0	72,5	170	475	1129	60	450	50	735	621	389	1,60
	M	510	590	69,0	72,5	180	475	1135	60	450	50	736	630	391	1,61
	L	560	600	69,0	72,5	190	475	1146	60	450	50	819	640	398	1,61
	XL	610	610	69,0	72,5	200	475	1156	60	450	50	856	649	405	1,60

SILKCARBON NEODRIVES	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
S	460	580	69°	73°	130	460	1100	75	450	50	726	599	397	1,51
M	510	600	70°	72,5°	150	460	1100	75	450	50	763	622	404	1,54
L	560	620	71°	73°	170	460	1125	75	450	50	802	645	423	1,53
XL	610	640	71°	73°	190	460	1147	75	450	50	842	664	437	1,52

KAGU	A	B	C	D	E	F	G	H	I	K	M	S	R	STR	
Women	45	450	580	69°	71°	160	455	1085	60	440	50	614	602	373	1,62
	51	510	595	69°	71°	175	455	1100	60	440	50	616	616	383	1,61
	55	550	605	69°	71°	190	455	1111	60	440	50	618	630	388	1,62
Men	47	470	580	69°	71°	160	455	1085	60	440	50	750	602	373	1,62
	51	510	595	69°	71°	175	455	1100	60	440	50	800	616	383	1,61
	55	550	605	69°	71°	190	455	1111	60	440	50	810	630	388	1,62
	59	590	615	69°	71°	205	455	1122	60	440	50	842	644	393	1,64
62	620	625	69°	71°	220	455	1132	60	440	50	866	658	398	1,65	

ALULITE	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
40	400	598	69°	72°	150	460	1108	65	470	43		628	391	1,60
45	450	608	69°	72°	160	460	1118	65	470	43		637	397	1,60
51	510	618	69°	72°	180	460	1128	65	470	43		656	400	1,64
55	550	628	69°	72°	200	460	1138	65	470	43		674	403	1,67

E-DILLY Data is listed in the E-MTB Kategorie.



- A Frame size mm
  - B Top tube length
  - C Head tube angle
  - D Seat tube angle
  - E Head tube length
  - F Chainstay length
  - G Wheelbase
  - H Bottom bracket drop
  - I Fork length
  - K Fork offset (rake)
  - M Stand over height
  - R Reach
  - S Stack
  - STR\* Stack to Reach
- \* The higher the number, the more upright is the seating position.

Trailer which is mounted on the rear wheel is allowed for the following models:

KAGU E-BIKE, ALULITE E-BIKE, KAGU BOSCH

## TECHNICAL DATA ACTIVE LIFESTYLE


INISSIO TOUR	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
47	470	525	72°	74,5°	110	425	990	67	390	45	731	529	378	1,40
51	510	540	72°	74,5°	135	425	1007	67	390	45	762	552	387	1,43
55	550	555	72,5°	74°	165	425	1017	67	390	45	801	583	388	1,50
58	580	580	73°	73,5°	200	425	1032	67	390	45	834	618	397	1,56
62	620	595	73°	73,5°	230	425	1047	67	390	45	868	642	405	1,59

SILKCARBON	A	B	C	D	E	F	G	H	I	K	M	S	R	STR	
Women	41	410	565	69°	73°	110	460	1089	75	450	50	603	580	388	1,50
	46	460	580	70°	73°	130	460	1100	75	450	50	604	603	396	1,52
	51	510	600	70°	72,5°	150	460	1100	75	450	50	605	622	404	1,54
Men	46	460	580	69°	73°	130	460	1100	75	450	50	726	599	397	1,51
	51	510	600	70°	72,5°	150	460	1100	75	450	50	763	622	404	1,54
	56	560	620	71°	73°	170	460	1125	75	450	50	802	645	423	1,53
	61	610	640	71°	73°	190	460	1147	75	450	50	842	664	437	1,52

KAGU	A	B	C	D	E	F	G	H	I	K	M	S	R	STR	
Women	45	450	580	69°	71°	160	455	1085	60	440	50	614	602	373	1,62
	51	510	595	69°	71°	175	455	1100	60	440	50	616	616	383	1,61
	55	550	605	69°	71°	190	455	1111	60	440	50	618	630	388	1,62
Men	47	470	580	69°	71°	160	455	1085	60	440	50	750	602	373	1,62
	51	510	595	69°	71°	175	455	1100	60	440	50	800	616	383	1,61
	55	550	605	69°	71°	190	455	1111	60	440	50	810	630	388	1,62
	59	590	615	69°	71°	205	455	1122	60	440	50	842	644	393	1,64
62	620	625	69°	71°	220	455	1132	60	440	50	866	658	398	1,65	

SPOTLIGHT	A	B	C	D	E	F	G	H	I	K	M	S	R	STR	
Women	41	410	575	70	73	125	460	1090	75	465	50	597	612	388	1,58
	46	460	580	70	73	125	460	1095	75	465	50	598	612	393	1,56
	51	510	590	70	73	140	460	1106	75	465	50	600	626	398	1,57
	56	560	615	71	73	160	460	1121	75	465	50	602	650	416	1,56
Men	46	460	585	69	73	130	460	1112	75	465	50	744	613	398	1,54
	51	510	600	70	73	140	460	1116	75	465	50	782	626	408	1,53
	56	560	625	71	73	160	460	1131	75	465	50	822	650	426	1,53
61	610	645	71	73	185	460	1152	75	465	50	863	673	439	1,53	

ALULITE	A	B	C	D	E	F	G	H	I	K	M	S	R	STR
40	400	598	69°	72°	150	460	1108	65	470	43	*	628	391	1,60
45	450	608	69°	72°	160	460	1118	65	470	43	*	637	397	1,60
51	510	618	69°	72°	180	460	1128	65	470	43	*	656	400	1,64
55	550	628	69°	72°	200	460	1138	65	470	43	*	674	403	1,67



- A Frame size mm
  - B Top tube length
  - C Head tube angle
  - D Seat tube angle
  - E Head tube length
  - F Chainstay length
  - G Wheelbase
  - H Bottom bracket drop
  - I Fork length
  - K Fork offset (rake)
  - M Stand over height
  - R Reach
  - S Stack
  - STR\* Stack to Reach
- \* The higher the number, the more upright is the seating position.

Trailer which is mounted on the rear wheel is allowed for the following models:


KAGU, SPOTLIGHT, ALULITE



NOTES

NOTES

NOTES



**SIMPLON FAHRRAD GMBH**

Oberer Achdamm 22 • A-6971 Hard / Austria  
Tel: +43 (0)5574 - 72564 0 • Fax: +43 (0)5574 - 72834  
email: office@simplon.com • web: www.simplon.com



www.facebook.com/SIMPLONBicycle

Visit our SIMPLON Website to learn more: [www.simplon.com](http://www.simplon.com)

Off the shelf or made to measure suit? With the SIMPLON INDIVIDUAL SYSTEM each bike is unique, perfectly adjusted to your personal needs. Your style, your seating position, your preferred terrain, your expectations. Only with a customised SIMPLON bike will you have the maximum riding pleasure.

The bike weights given in this price list are approximate and refer to the respective standard components package in the declared frame size and colour.  
Weight tolerance for bikes, frames, forks and all listed components: +/- 3%